

THE BOARD OF SUPERVISORS OF THE COUNTY OF STANISLAUS
ACTION AGENDA SUMMARY

DEPT: General Services Agency

BOARD AGENDA # *B-5

Urgent Routine

AGENDA DATE March 12, 2013

CEO Concurs with Recommendation YES NO
(Information Attached)

4/5 Vote Required YES NO

SUBJECT:

Approval of a Contract with Elevator Technology, Inc. for Elevator Modernization at 801 11th Street, Modesto

STAFF RECOMMENDATIONS:

1. Approve a contract with Elevator Technology, Inc. in the amount of \$104,517 for elevator modernization at 801 11th Street, Modesto.
2. Authorize the County Purchasing Agent to execute the contract with Elevator Technology, Inc., and to sign any necessary documents.

FISCAL IMPACT:

The proposed contract covers the modernization of the elevator at 801 11th Street, Modesto and has a total cost of \$104,517.00, consisting of base pricing of \$99,592.00 plus \$4,925 for wall panels (add alternate). Of the total cost, \$83,614 will be funded in the Deferred Maintenance budget and \$20,903 in the budgets of the building tenants (listed in the table below). Each building tenant shall pay its proportionate share in the amounts shown in the table on the next page.

(Continued on Page 2)

BOARD ACTION AS FOLLOWS:

No. 2013-105

On motion of Supervisor Withrow, Seconded by Supervisor Monteith

and approved by the following vote,

Ayes: Supervisors: O'Brien, Withrow, Monteith, De Martini and Chairman Chiesa

Noes: Supervisors: None

Excused or Absent: Supervisors: None

Abstaining: Supervisor: None

1) Approved as recommended

2) Denied

3) Approved as amended

4) Other:

MOTION:

Christine Ferraro

ATTEST: CHRISTINE FERRARO TALLMAN, Clerk

File No.

FISCAL IMPACT: (Continued)

<u>Building Tenant</u>	<u>Proportionate Share</u>
Probation	\$9,404
Strategic Business Technology	4,058
CEO Facilities Maintenance	3,465
Sheriff (Civil)	2,231
Sheriff (Jail Alternatives)	1,745
Total	\$20,903

Funding is included in the Fiscal Year 2012-2013 Adopted Final Budget for the respective budgets.

DISCUSSION:

The County has experienced ongoing issues with the existing elevator cab, constructed in the early 1960's, at 801 11th Street in Modesto (801 11th). This building houses Strategic Business Technology, Probation, Sheriff, and Facilities Maintenance. It has one basement level and four above-ground floors which are serviced by a single traction elevator. This elevator is the only one in the building available for use by County employees and public patrons.

The elevator at 801 11th has been maintained by the County's elevator maintenance vendor, Thyssenkrupp Elevator Company (Thyssenkrupp). It has been failing intermittently and on a few occasions has trapped individuals inside. While Thyssenkrupp has been able to return the elevator to service, it is beyond its expected useful life. The time and monetary expense of a complete overhaul of the elevator is impractical, especially given the age of the elevator. Modernization, however, is a time and cost effective repair process by which the critical components of the elevator are upgraded with new technology to improve both safety and performance. The critical components typically involved in an elevator modernization are the controller equipment, the hoist machines and motors, electrical wiring, buttons, and doors. Modernization will extend the life of the elevator by 15-20 years at cost approximately 35% lower than the cost of a full elevator replacement. The process will be completed within 90 working days.

The General Services Agency Purchasing Division (GSA) conducted a Request for Bids (Bid) to select a vendor to provide modernization repairs to the elevator. GSA posted Bid #12-62 MP for Elevator Modernization on October 24, 2012, which set forth the scope of work for the project. The Bid was sent to 319 vendors, and 20 of them downloaded the RFP. On October 31, 2012 a mandatory bid walk was held with 5 vendors in attendance.

The Bid closed on November 16, 2012 and GSA received responses from 4 vendors, listed as follows:

Approval of a Contract with Elevator Technology, Inc. for Elevator Modernization at 801 11th Street, Modesto

Page 3

- Elevator Technology, Inc., of El Dorado Hills, CA;
- Dream Ride Engineering, Inc., dba Dream Ride Elevator of Benicia, CA;
- ThyssenKrupp Elevator, of West Sacramento, CA; and
- Ascent Elevator Services, Inc., of Benicia, CA.

Of the 4 responding vendors, ThyssenKrupp Elevator claimed a Local Vendor Preference (LVP) as set forth in Section 2.24.125 of the Stanislaus County Code. The LVP entitles local vendors to receive a five percent preference for evaluation purposes only. A local vendor must meet all of the criteria:

1. The vendor has a fixed office or distribution point located within the county of Stanislaus for at least one year prior to the transaction for which preference is claimed by the vendor. Post office boxes do not qualify as a verifiable business address.
2. The vendor has a current business license issued by the county or by a city within Stanislaus County.
3. The vendor employs at least one full-time employee whose primary residence is located in Stanislaus County, or if the business has no employees, at least fifty percent of the business shall be owned by one or more persons whose primary residence is located in Stanislaus County.

GSA received bids from 4 vendors, each of whom were considered responsive and responsible in the amounts shown in the table below. Base pricing was used as the basis for comparison.

Vendor	Base Price	*Less LVP Discount	**Adjusted Bid Amount
Elevator Technology, Inc.	99,592	N/A	99,592
Dream Ride Elevator	135,000	N/A	135,000
Ascent Elevator	142,600	N/A	142,600
Thyssenkrupp Elevator	148,222	\$5,000	143,222

*LVP Discount is 5% of bid amount, up to \$5,000.00.

**Adjusted bid amount is for evaluation purposes only. Any award will be made at full price of bid.

Elevator Technology, Inc. is the lowest responsive, responsible bidder.

If approved, the agreement will be effective upon the issuance of a notice to proceed (Notice) and completed within 90 working days from the date the Notice is issued.

Approval of a Contract with Elevator Technology, Inc. for Elevator Modernization at 801
11th Street, Modesto
Page 4

POLICY ISSUE:

Approval of this item supports the Board of Supervisors' priority of Efficient Delivery of Public Services by providing a cost-effective elevator repair process for County departments.

STAFFING IMPACT:

Existing GSA staff will manage the contract for the elevator modernization services.

CONTACT:

Keith D. Boggs, GSA Director/Purchasing Agent (209) 652-1514
Melinda Pallotta, Contract Administrator (209) 567-4958

AGREEMENT
(Public Works of Improvement)

This Agreement, made this 17th day of March, 2013, by and between Elevator Technology, Inc., a California corporation, (the "Contractor") and the COUNTY OF STANISLAUS (the "County").

ARTICLE I

The Contractor will provide all the materials, tools, equipment and labor and perform all the work necessary to complete in a good workmanlike manner:

BID NAME Elevator Modernization
BID NO: #12-62 MP

as set forth in the Bid of the Contractor and in accordance with the bid, Notice to Bidders, Information for Bidders, General Conditions, plans and specifications, bonds, addenda, and any documents particularly required or provided, all of which are attached hereto and made a part hereof. All of the foregoing documents, together with this Agreement, comprise the contract.

ARTICLE II

All of the work included in this contract is to be performed under the direction of the County, and in conformity with the true construction and meaning of the contract, as determined solely by the County.

ARTICLE III

No alterations in the work shall be made except upon written order of the County. The amount to be paid by the County or to be deducted from the contract price by virtue of such alterations shall be stated in said order and shall be approved in writing by the County and the Contractor.

Changes, additions, and alterations in the work, which do not exceed \$500.00, may be ordered in writing by the Purchasing Agent of the County of Stanislaus (the "Purchasing Agent"). All other changes, additions, or alterations in the work shall be by order of the Stanislaus County Purchasing Division of the County of Stanislaus.

ARTICLE IV

The Contractor shall commence the work within ten (10) working days after the date specified in the Notice to Proceed given to him, and shall prosecute said work in a prompt, diligent and workmanlike manner. The Contractor shall complete the work within

"Ninety (90) Working Days"

of the date of the Notice to Proceed, unless extension or suspension of the work is agreed to in writing by the County. Time is of the essence in this Agreement.

ARTICLE V

The County agrees to pay and the Contractor agrees to accept in full payment for the work:

BID NAME ESTIMATES

PROJECT	UNIT OF MEASURE	BASE BID PRICE (NORMAL HRS)	PLUS ALT. PRICING	PROJECT TOTAL (IN FIGURES)
801 11 th Street, Modesto (801 11 th)	1 Car Ea	\$ 99,592.00	\$4,925.00	\$ 104,517.00

The County shall pay to the Contractor in due course and at the usual time for payment of County obligations after the last day of each month, ninety percent (90%) of the cost of the work completed and material properly stored on the job site, which cost shall be determined by the County. A final payment of ten percent (10%) of the contract price shall be due

the Contractor 35 days after acceptance of the work, provided that the Contractor furnishes to the County satisfactory evidence that all obligations for labor and materials have been satisfactorily fulfilled within the said 35 day period, and further provided that no payment shall be construed to be an acceptance of defective work or improper materials.

Except as otherwise prohibited by law, the Contractor may elect to receive all payments due under the contract pursuant to Section 2.15 of the General Conditions of the contract documents without any retention. If the Contractor so elects, he shall deposit with the County securities with a value equal to the monies, which would otherwise be withheld by the County. Said securities shall be as provided in Section 22300 of the Public Contract Code and shall be approved by the County as to both sufficiency and form.

ARTICLE VI

Prior to commencing the work, the Contractor shall file a bond issued by a surety company, approved by the County, and in the form acceptable to the County in the amount of one hundred percent (100%) of the contract price for the faithful payment and satisfaction of all lawful claims of all persons for labor and materials furnished in the prosecution of the contract work. Prior to commencing the work, the Contractor shall file a bond issued by a surety company, approved by the County, and in the form acceptable to the County in the amount of one hundred percent (100%) of the contract price to guarantee the faithful performance of the contract.

ARTICLE VII

The Contractor shall take out, and maintain during the life of the contract, insurance policies as described in Section 2.16 of the General Conditions of the contract documents.

ARTICLE VIII

The Contractor shall indemnify, defend, and save harmless Stanislaus County and all officers and employees thereof connected with the work from all claims, suits or actions of every name, kind and description, brought forth or on account of injuries to or death of any person, including, but not limited to, workmen and the public, or damage to property resulting from the performance of the contract, except as otherwise provided by statute. The duty of the Contractor to indemnify and save harmless includes the duties to defend as set forth in Section 2778 of the Civil Code. The Contractor waives any and all rights to any type of express or implied indemnity against the County, its officers or employees.

ARTICLE IX

When the work is completed and ready for final inspection, the Contractor shall notify the County which shall make such final inspection within five (5) days after notice.

If the County shall approve the work and find that the work is complete and ready for acceptance and shall accept the same, the final payment of the contract price shall be due as provided in Article V, hereof.

ARTICLE X

The Contractor shall comply with all the provisions of state and local laws relating to contracts for the prosecution of public works, and Sections 2.13, 2.18, 2.19, 2.20, 2.21, and 2.22 of the General Conditions are hereby referred to and incorporated herein as if fully set forth. Pursuant to law, the County has ascertained the general prevailing rate of per diem wages in the locality of the work for each craft or type of workman required for performance of the contract, which rates are as stated in the Invitation to Bidders, and the Contractor shall be required to pay not less than said prevailing rates.

ARTICLE XI

Whenever any act is directed to be done or notice directed to be given by or to the County hereof, the same may be done or given by or to the Purchasing Agent.

ARTICLE XII

The Contractor shall not assign the contract or sublet it as a whole without the written consent of the County, nor shall the Contractor assign any monies due or to become due to him hereunder without the previous written consent of the County. This contract shall be binding upon the parties hereto, their heirs, successors, assigns, subcontractors, and legal representatives.

ARTICLE XIII

Any alteration or alterations made in this contract, or any part hereof, shall not operate to release any surety from liability of any bond given pursuant to the provisions of this contract and the consent of such surety to such alteration or alterations is hereby given, the surety expressly waiving hereby the provisions of Section 2819 of the Civil Code.

ARTICLE XIV

Neither the final certificate nor payment, nor any provision of the related documents, shall relieve the Contractor of responsibility for faulty workmanship or materials, and less otherwise specified, he shall remedy any defects due thereto and pay for any damage to other work resulting therefrom which shall appear within a period of one (1) year from the date of filing Notice of Completion. The County shall give notice of observed defects with reasonable promptness. All questions arising under this Article shall be decided by the Purchasing Agent.

COUNTY OF STANISLAUS

ELEVATOR TECHNOLOGY, INC.

By: [Signature]
Keith D. Boggs, Assistant Executive Officer,
GSA Director/Purchasing Agent

By: [Signature]
Name: Peggy Bates
Title: President

BOS Resolution 0013-105 (3/12/2013)
APPROVED AS TO CONTENT:
General Services Agency - Facilities Maintenance Division

"Contractor"

By: [Signature]
Scott Shook, Facilities Maintenance Manager

APPROVED AS TO FORM:
John P. Doering, County Counsel
By: [Signature]
Thomas E. Boze, Deputy County Counsel

NOTE: The Contractor's signature must be acknowledged before a Notary Public Contractor.


State of California }
El Dorado } SS.
County of Stanislaus }

On this 21st day of February, 2013, before me, Monica Arriola Krakow, Notary Public, personally appeared Peggy Bates, who proved to me on the basis of satisfactory evidence to be the person whose name is subscribed to the within instrument and acknowledged to me that he/she executed the same in his/h~~er~~ capacity and that by his/h~~er~~ signature on the instrument the person or entity upon behalf of which the person acted, executed the instrument.

I certify UNDER PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

[Signature]
Notary's Signature



(SEAL)

**STANISLAUS COUNTY GSA PURCHASING DIVISION
FOR
BID #12-14 MP
TECHNICAL SPECIFICATIONS**

PART 1 – GENERAL.

- 1.1. This Agreement covers the complete modernization of one (1) traction type passenger elevator located at 801 11th Street, Modesto, California. All work will be performed in a workmanlike manner and will include all work and material as specified herein. In all cases where a device or part of equipment is herein referred to in the singular number, it is intended that such reference will apply to as many such devices as are required to complete the installation.
- 1.2. All work will be performed in accordance with the most applicable edition of the National Safety Code for Elevators, Dumbwaiters, Escalators, and Moving Walks (ASME A17.1), ANSI A117.1 Barrier Free Code as pertaining to Passenger Elevators, the Americans with Disabilities Act (ADA), the National Electrical Code, and/or such State and Local elevator codes as may be applicable.
- 1.3. Drawings. Contractor will prepare drawings and/or cut sheets at its sole cost, showing the general arrangement of the elevator equipment (including machine room layout, hoistway plan if applicable, and section views), signal fixtures, and rope gripper mounting drawing and design if applicable, and cab drawings.
- 1.4. Permits, taxes and licenses. All applicable sales and use taxes, permit fees and licenses, as of the date bids are taken, will be paid by the Contractor.
- 1.5. Maintenance service. Interim maintenance is to be included in the price. Upon completion of the work maintenance will revert to the County's current service provider. County's current service provider will review job condition.
- 1.6. Wiring diagrams. Two (2) complete sets of "made final" wiring diagrams including input and output signals will be furnished to the Purchaser.
- 1.7. Keys. Two (2) keys for each key switch specified will be furnished to the Purchaser.

PART 2 – EQUIPMENT AND SUMMARY OF WORK.

SAMPLE OF TRACTION:	
Quantity:	One (1)
Capacity:	*2500
Speed:	*200 FPM
Stops:	*Four (4)
Openings:	*Five (5)
Car size/Platform:	Retain existing
Clear inside:	Retain existing
Travel:	Retain existing
Machine:	Retain existing
Power supply:	Retain existing
Logic Control:	New non-proprietary microprocessor
Car Enclosure:	New as indicated
Signal Fixtures:	New ADA vandal resistant
Doors:	Retain existing
Door Operation:	New closed-loop design
Wiring:	New

PART 3 - MODERNIZATION EQUIPMENT FEATURES.

- 3.1 CAR.
 - 3.1.1 **Car Frame and Platform:** Retain existing car sling and platform. Modify as required to accommodate any new accessories or control equipment installed. Address toe guards.
 - 3.1.2 **Power Unit:** A new submersible power unit shall be provided on hydraulic elevators.

- 3.1.3 Piping: Provide all necessary pipe and fittings to connect the power unit to the jack unit shall be furnished on hydraulic units.
 - 3.1.4 Oil: Furnish oil of proper grade on hydraulic units.
 - 3.1.5 Controller / leveling system:
 - 3.1.6 **Car and Counterweight Guide Assemblies:** Retain and rebuild the existing guide roller assemblies. Replace rollers with new neoprene tires to insure smooth ride characteristics.
- 3.2 CAR ENCLOSURE.
- 3.2.1 **Cab Interior/Cab:** Remove the existing cab interior. Furnish and install one (1) new cab interior as described herein.
 - 3.2.2 **Front Returns:** Stainless steel #4.
 - 3.2.3 **Car Doors:** Furnish and install new car doors. The new car doors shall be prime finish for painting by Contractor or its subcontractor.
 - 3.2.4 **Handrails:** 1 1/2" Diameter cylindrical handrail on rear wall. The new handrail shall be manufactured of stainless steel with a #4 finish.
 - 3.2.5 **Canopy:** Retain existing.
 - 3.2.6 **Ceiling :** T-Bat type with Stainless Steel #4 frame. Lighting shall be LED type lights with translucent white plastic light diffusers.
 - 3.2.7 **Ventilation:** Furnish and install one (1) new exhaust fan.
 - 3.2.8 **Walls:** Retain existing.
 - 3.2.9 **Wall Panels:** Plastic laminate from standard selection of laminates applied to 1/2" firerated particle board and fastened to the wall using "Z" type lips. Contractor shall completely cover walls for a new cab interior finish. Contractor shall verify with County's Project Manager with documented submittal and authorization to proceed before installation.

Wall Panels: (ADD ALTERNATE): vandal resistant brushed or perforated stainless steel #4 brush finish vertical grain. (proposer to specify).
 - 3.2.10 **Flooring:** By Contractor or its subcontractor. Contractor shall verify with County's Project Manager with documented submittal and authorization to proceed before installation.
- 3.3 CAR SIGNAL FIXTURES.
- 3.3.1 **Car Operating Panel:** Furnish and install one (1) new car operating station as described herein. The new car operating station shall be manufactured and installed in accordance with Americans with Disabilities Act (ADA), ANSI Code A17.1, C.A.C. Title 24 and other applicable state and local codes. The new car station shall be constructed of Stainless Steel with a #4 brush finish and vertical grain. The car station shall have the following integrally mounted components:
 - a. All buttons and operating devices to be vandal resistant type. Basis of design to be Innovation Industries "Bruiser" or Adams "Survivor Plus" buttons.
 - b. Illuminating, self canceling floor call buttons one (1) for each landing served. Each button shall be clearly marked with the designation for the floor that the button serves. The buttons shall have black indications on a contrasting white background. The highest call button shall not exceed 54" above finish floor.
 - c. Alarm button. The Alarm button shall illuminate & extinguish when pushed & released.
 - d. Non-Illuminating buttons labeled Door Open, Door Close, Emergency Stop. These buttons shall be grouped at the bottom of the panel at 35" centerline as required by code. The Emergency Stop and Alarm buttons shall have red characters on contrasting white backgrounds. The Door Open and Door Close buttons shall have black indications on a white background.
 - e. Braille indication to the left of and adjacent to each button designating the function and operation of that button.

- f. Firefighters Service Cabinet with the following devices behind a locked, hinged, door: Key operated 3 position (Off-Hold-On) Fire Service switch with Fire jewel, Door Open, Door Close and Call Cancel buttons with buzzer that shall operate as required by code in the event of a fire. The firefighters cabinet door shall have One (1) signage plate with Fire Emergency Operation instructions mounted on its interior side.
- g. One (1) Emergency Light unit with battery backup to provide lighting in the interior of the elevator in the event of a loss of power to the elevator light circuit. The emergency light unit shall also be capable of supplying power to the alarm bell.
- h. One (1) programmable ADA compliant hands free speaker phone assembly.
- i. One (1) Capacity Plate indicating the weight, in pounds, that the elevator is rated to safely carry.
- j. One (1) floor passing gong.
- k. One (1) two position key operated switch labeled Inspection.
- l. One (1) three position key operated switch labeled "Light," "Fan," and "Off."
- m. One (1) Inspection key operated switch for Elevator Inspectors use as required by code.
- n. One (1) Independent Service key operated switch which will allow the elevator to be removed from automatic service and placed on manual operation from inside the elevator.
- o. Additional key or toggle switches as required to match the existing function of any key or toggle switches.
- p. Smoked plastic 6" X 6" lens for future card reader installation.
- q. All illumination of buttons shall be energy efficient LED type. Incandescent is not acceptable.

3.3.2 Car Position Indicator: Furnish and install one (1) new car position indicator in each elevator. The new car position indicators shall be the digital type and shall be mounted in the car operating panel.

3.3.3 Car Direction Lanterns: Furnish and install new car direction lanterns on the car entrance jambs. Illumination of the car direction arrows shall be energy efficient LED type. Basis of design for car direction lantern to be vandal resistant design. Incandescent lighting is not acceptable.

3.4 HALL SIGNAL FIXTURES.

3.4.1 Hall Call Stations: Furnish and install new surface mounted hall stations, one (1) at each landing. Each hall station shall be manufactured of stainless steel with a vertical grain and a #4 brush finish. The new hall stations shall have some combination of the following components:

- a. Illuminating up and/or down buttons.
- b. Fire emergency recall switch at the designated landing.
- c. Fire Service Operating signage as required by ANSI Code.
- d. Fire Service Indicator
- e. Surface-mount design to facilitate easy installation in existing buildings.
- f. All fixtures will be mounted to meet ADA height requirements.
- g. Basis of design for Hall Station buttons to be either Innovation Industried "Bruiser" or Adams "Survivor Plus" vandal resistant design.

3.4.2 Hall Access Stations: New Access key switches shall be installed either in the hall stations or in a separate fixture adjacent to the jamb at the top and bottom landings. The Hall Access key switches are for inspectors use when inspecting the elevator.

3.4.3 Jamb Braille: Install new jamb braille plates at each landing.

3.5 CONTROL & DRIVE SYSTEMS.

3.5.1 Microprocessor Control System: Furnish and install a new non-proprietary microprocessor based control and drive system. The new microprocessor control system shall be mounted in a fully enclosed cabinet. The cabinet shall utilize hinged doors to provide access to all control system components. The controller shall utilize an internally mounted fan and filter to provide a continuous flow of air to ventilate the control system. The new control system shall be capable of operating in a climate with an ambient air temperature between 70 degrees Fahrenheit and 110 degrees Fahrenheit. The new microprocessor control system shall be manufactured and installed in compliance with ANSI Code A17.1 "Safety Code For Elevators and Escalators" and California Uniform Building Code Title 8. The new microprocessor controller will utilize separate car and machine room microprocessors which shall communicate with each other via serial link communications. Additional microprocessors required for other subsystems may be used but shall be designed to function using serial communications links as described above. The new microprocessor control system shall be designed to continuously scan and analyze all car functions including status of all inputs and outputs, direction of travel, position of car, status of doors, and speed of car.

The motion control system shall utilize closed loop feedback to provide the microprocessor with a continuous indication of car speed and direction. The motion control system shall continuously compare the actual car speed to the demand velocity programmed in the microprocessor to insure fastest possible speed profile. Any deviations shall be self corrected to assure a stable ride. Demand velocity shall be based on the position of the car in the hoistway relative to the destination floor and shall be programmed to provide the highest possible rate of acceleration and deceleration up to and including application of the brake, without discomfort, regardless of direction of travel or load in the car. The new microprocessor controller shall utilize isolated inputs and outputs to protect boards against short circuit damage. The microprocessor controller shall be designed to accommodate changes in the building configuration via replacement of software. All adjustments to operational parameters are to be made via a portable laptop type service tool or an on board diagnostic monitor and programming touchpad.

Control systems that utilize proprietary SIMM chips, or require connection to an offsite portal to enable or validate the tool operation are not acceptable.

- 3.5.2 Drive System and Control:** The elevator control system shall have a Variable Voltage Variable Frequency A.C. (Alternating Current) non-regenerative drive mounted integrally in the controller. The drive shall be utilized to control the acceleration, deceleration, leveling speed, releveling speed, and full speed operation the elevator based on inputs received from the microprocessor based control system.
- 3.5.3 Microprocessor Dispatch System:** Furnish and install a new microprocessor based dispatch system which shall be incorporated integrally into the control cabinets of the new controller. The new microprocessor dispatcher shall be mounted in a fully enclosed cabinet. The cabinet shall utilize front and rear doors to provide access to all control system components. The cabinet shall have an internally mounted fan and filter to provide a continuous flow of air to ventilate the control system. The new dispatch system shall be capable of operating in a climate with an ambient air temperature between 70 degrees Fahrenheit and 110 degrees Fahrenheit. The new microprocessor control system shall be manufactured and installed in compliance with ANSI Code A17.1 "Safety Code For Elevators and Escalators" and California Uniform Building Code Title 24. The new microprocessor dispatcher and car controllers shall communicate with each other via serial link communications. The new microprocessor based dispatcher shall continuously scan and analyze all car and hall calls, car positions, car direction of travel and car status to provide the fastest possible response to hall calls. The new dispatcher shall be provided with a modem for remote monitoring. Telephone line to the modem to be supplied by the purchaser. The microprocessor dispatcher shall analyze and monitor the following parameters when assigning hall calls to the system:
- a. Longest existing hall call at floors
 - b. Status of elevator (in or out of service)
 - c. Status of motor generator (if equipped with motor generator drive)
 - d. Direction of travel of each elevator
 - e. Position of each elevator
 - f. Status of car doors (opening, closing, etc.)
 - g. Existing car calls in individual cars
 - h. Existing hall calls already assigned
 - i. Coincident car calls
 - j. System status (Up peak, Down peak, etc.)
- 3.5.4 Diagnostics:** The controller shall have an integrally mounted or separate machine room monitor display which shall be used to review all faults, parameters, and settings. The monitor shall be controlled by some means of interface tool (laptop, desktop, handheld tool) to access menus, tables, and diagnostics. In addition, the interface tool shall also be used to adjust parameters and settings in the control system. The interface tool shall be left at the job and shall become the property of the County.
- 3.5.5 Automatic Self Leveling:** The elevator shall be provided with a self leveling feature that will automatically bring the car to the floor landings. This self leveling feature will, within its zone, be entirely automatic and independent of the operating device and shall correct for over travel or under travel and rope stretch.
- 3.5.6 Landing Control System:** Provide a solid state landing control system in the hoistway that shall constantly communicate the elevator position within the hoistway with the machine room microprocessor controller. The landing control system shall utilize a stainless steel tape or hoistway mounted encoder that shall be linked to a positive position unit to provide all required inputs to the elevator microprocessor.

3.5.8 Approved Manufacturers: Elevator control systems are to be manufactured by one of the following manufacturers. No substitutions will be allowed as there are no known equals. Approved manufacturers are as follows:

- a. Computerized Elevator Controls – SWIFT Futura w/Serial Link configuration
- b. Motion Control Engineering – iControl w/Serial Link configuration
- c. Elevator Controls Corp. – V900-AC w/"E-Z Link" Serial Communication

The new control system shall be configured to accept future installation of the manufacturers remote monitoring and interactive tools as follows:

- a. Computerized Elevator Controls – RemonG2
- b. Motion Control Engineering – imonitor & iReport
- c. Elevator Controls Corp. - Interact

3.5 DOORS & ENTRANCES.

Retain existing doors and entrances. Modify as required to accommodate any new accessories or control equipment installed.

3.6 DOOR OPERATION.

3.6.1 Door Operator: Furnish and install one (1) new door operator and related equipment as described herein, on each elevator to provide smooth, reliable door operation. The new door operators shall open and close the elevator doors. The door control shall be a digital closed loop system incorporating a motor, encoder, and car top control box, and all required linkages and related devices. The closed loop circuit shall provide constant feedback on the position and velocity of the elevator doors to the car top control box. The motor torque shall be constantly adjusted by the car top control box to maintain the correct door speed based on its position and load. Door movements will be electrically cushioned at both limits of travel. Doors will automatically open when the car arrives at a landing and will automatically close after an adjustable time interval or when the car is dispatched to another landing.

Furnish and install the following:

- a. One (1) new digital closed loop door operator assembly including linkages, drive motor, and drive arms.
- b. One (1) new car door track and hangers.
- c. One (1) new clutch and door restrictor assembly as required by code.
- d. One (1), at each landing, new hoistway interlock assemblies including pick-up roller assemblies, pick up rods, interlock box and contacts. The new interlocks shall include fire rated wire as required by ANSI/ASME Code A17.1 1996 edition and shall be fully code compliant with CAC Title 8.

Clean and degrease the hoistway door tracks, rebuild and replace the hoistway door hanger rollers.

3.6.2 Approved Manufacturers:

- a. G.A.L. – MOVFR
- b. Elevator Solutions – Closed Loop HPM

3.7 GOVERNORS & SAFETIES.

3.7.1 Governor: New governor shall be installed in place of the existing governor. The new governor shall include overspeed switches and operation as mandated by code. Install new governor cable.

3.7.2 Car Safety Device: Retain the existing car safety. Inspect same for correct operation and integrity of components. Lubricate pivot points and hinges.

3.8 MACHINES & MOTORS.

3.8.1 Hoist Machine: The existing geared traction machines will be cleaned, checked, painted and reused. Bearing oil reservoirs will be flushed, cleaned, and new oil provided. Drive sheaves will be cleaned and checked for proper traction. Brakes will be cleaned, worn parts replaced, lubricated and adjusted for proper operation. All work will be in accordance with original manufacturer's specifications.

3.8.2 Hoist Motor: Furnish and install one (1) new Alternating Current hoist motor manufactured and designed for use in elevator applications. The new hoist motor shall be designed for use in Variable Voltage Variable

Frequency applications. The new motor shall utilize sealed roller bearings to insure quiet operation and long life.

3.9 PIT EQUIPMENT.

3.9.1 Limit Switches and Hoistway Operating Devices: Furnish and install guide rail mounted hoistway limit switches at the terminal landings as required to accommodate the new elevator controller. The limit switches shall mechanically signal the elevator control system that the elevator is at a terminal landing and, if the elevator has traveled too far past the floor. In the event that the elevator over travels by an excessive amount the terminal limit switch shall disconnect power from the elevator and apply the brake.

3.9.2 Pit Switch: Furnish and install an Emergency Stop switch in the elevator pit.

3.9.3 Pit Buffers: Retain the existing pit buffers.

Clean the elevator pit and paint pit equipment with a rust preventive paint.

3.10 ROPES, RAILS & COUNTERWEIGHTS.

3.10.1 Guide Rails: Retain the existing guide rails, and counterweights. Check rails for proper alignment to provide smooth operation.

3.10.2 Earthquake Protection: Provide a seismic switch sensing device in the elevator machine room that shall detect movement in the building structure. The seismic switch shall be coupled to the new elevator control system, which will provide earthquake operation.

The system shall slow the elevator to a code compliant speed stop at the next available floor, or if floor heights exceed 36 feet, stop and then proceed in the direction away from the counterweights to the next floor. Circuitry shall be arranged so that the elevators are operable only on car top inspection control until an elevator mechanic has inspected the elevators and determined that they are safe for normal operation.

If installation of counterweight brackets or counterweight spreader brackets is required as part of this work they shall be designed and installed to withstand a horizontal acceleration of .5 G.

Furnish and install anti-snap protection for all counterweight brackets extending the full height of the hoistway. Protect all switch and cam brackets against hoist, compensating, or traveling cables becoming entangled on them.

Furnish and install retainer plates, if required, on the counterweight frame(s) to deter accidental counterweight derailment.

Furnish and install a sensing device for each counterweight that shall detect any displacement in the building structure or the counterweight leaving its guides.

Furnish and install restraining members for motor generators, controller cabinets, governors, machine bed plates, isolation transformers, and other floor mounted devices to resist a .5 G vertical and 1.0 G Horizontal acceleration.

Furnish and install rope retainers to prevent hoist and governor cables from leaving sheave grooves.

3.10.3 Hoist Ropes: Retain existing hoist ropes.

3.10.4 Rope Grippers (Ascending Safety Device): Furnish and install new "rope gripper" on elevator machine. The rope gripper shall function as ascending safety devices to stop the elevator in the event of an uncontrolled upward movement of the elevator.

3.11 WIRING.

3.11.1 Traveling Cable and Hoistway Wiring: The old traveling cables and hoistway wiring requires replacement as part of this work. The work shall include the installation of new traveling cable. Furnish and install new traveling cables on each elevator as follows:

- a. New traveling cable utilizing a minimum of one 10 18 Awg. Stranded copper wire conductor for each connection required. The traveling cable shall have a minimum of 10% spare 18 Awg. wires.
- b. Minimum of 4 shielded pair 20 Awg. wire.

- c. Minimum of 6 14 Awg. wires for lights and fan operation.
- d. Oil and water resistant jacket to prevent water intrusion into the cable.
- e. Jute core to support cable and minimize strain on the conductors.
- f. Terminated at both ends with "Kellam" type grips.
- g. Include 10% spare wires.
- h. Include 3 pair shielded 20 awg. Wire for future card reader installation.

The traveling cable will be terminated at the existing hoistway junction box and the elevator car.

The traveling cable will be hung in such a manner as to prevent twist of the cable or harmonic vibration and entanglement with the existing traveling cable.

3.12 SYSTEM FEATURES

3.12.1 Fireman's Service: Make all modifications if/as necessary to obtain Code-Compliant, fireman's service operation. Note: All smoke/heat detector installation and/or modifications required for a Code-Compliant fire recall system is by others.

3.12.2 Independent Service: Provide independent service operation.

3.12.3 Hoistway Access and Inspection: Provide new, key operated, self centering, spring return, switches at the top and bottom landings labeled "Access". Key switches shall have three (3) positions labeled "Up", "Down", and "Off". The key shall be removable in the center or "off" position only. To utilize this mode of operation the following steps shall be performed:

- a. Locate the elevator at the top or bottom landing.
- b. With the doors open, turn the key switch labeled "Access", in the car operating panel, to the "on" position. The doors shall be disabled and remain open.
- c. Step out of the elevator. Insert the "Access" key in the "Access" key switch located in the upper corner of the elevator door frame.
- d. Turning the key switch in the desired direction shall cause the elevator to go up or down. If the elevator is at the bottom floor it shall not be capable of moving in the down direction more than a few inches. Moving the elevator up from an upper landing shall have the same affect.

To remove the elevator from this mode of operation the elevator would be returned to a substantially level condition with the floor it was on. The key switch in the elevator panel labeled "Access" shall be returned to the "off" position.

PART 4 – INSTALLATION SEQUENCE AND SCHEDULE.

4.1 Work may be performed during regular working hours. However county will accommodate weekend and after hour work, with prior arrangements established between Contractor and County's Project Manager. As a part of scoring this bid, the contract award will be evaluated by the least amount of days the elevator will be out-of-service.

4.2 Prior to commencing work, a work schedule will be submitted to and approved by the County's Project Manager.

PART 5 – TESTS.

5.1 EMERGENCY FIRE SERVICE.
Perform Phase I and Phase II Fire Service tests to conform to applicable codes.

5.2 TEST REPORTS.
Completed copies of test reports will be provided to the County's Project Manager.

All required tests are to be performed during the regular working hours of the elevator trade.

PART 6 - CLEAN UP AND INSPECTION.

6.1. Clean up. Contractor shall remove all debris resulting from work performed under the resultant contract. In addition, Contractor will remove from the project site all equipment and unused or removed materials and restore building and premises to a neat, clean appearance. The Contractor will keep work site cleaned daily. The Contractor will accommodate public and county employee access to stairwells at all times during any work performed during normal business hours.

- 6.2. Inspection. All materials and workmanship will be subject to inspection or testing. The County will have the right to reject defective or inferior material or workmanship installed under this contract and may require the correction of such without additional cost to the County.
- 6.3. Permits. The Contractor shall apply for and process any permits and or letter of intent required by State.

PART 7 - WORK NOT INCLUDED.

- 7.1 The following work is not included unless specifically addressed in this proposal, and is conditional upon the proper performance of such work by the Contractor or its subcontractor, the County, or the County's Representative, or other Subcontractors.
- 7.2 A legal hoistway, properly framed and enclosed, and including a pit of proper depth provided with ladder, sump pump, lights, access doors and waterproofing, as required. Removal of water in pit(s). Legal machine room, adequate for the elevator equipment, including floors, trap doors, gratings, foundations, lighting, ventilation and heat to maintain the room at an ambient temperature of 50°F minimum (90° maximum). Adequate supports and foundations to carry the loads of all equipment, including supports for guide rail brackets and machine beams or overhead sheaves (if furnished). If adjacent hoistways are utilized, divider beams at suitable points shall be provided for guide rail bracket support. Should additional weight need to be added to the counterweight to balance the cabs, there would be an additional charge added to the contract amount.
- 7.3 Cutting and patching of walls, floors, etc., and removal of such obstructions as may be necessary for proper installation of the elevator. Pockets or blockouts for signal fixtures.
- 7.4 Suitable connections from the power main to each controller and signal equipment feeders as required, including necessary circuit breakers and fused mainline disconnect switches per N.E.C. Suitable power supply capable of operating the new elevator equipment under all conditions. Wiring to controller for car lighting. (Per N.E.C. Articles 620-22 and 620-51). Electric power without charge, for construction, testing and adjusting of the same characteristics as the permanent supply. A means to automatically disconnect the main line and the emergency power supply to the elevator prior to the application of water in the elevator machine room will be furnished by the electrical contractor. This means shall not be self-resetting. Wiring and conduit from life safety panel or any other monitor station to elevator machine room or suitable connection point in hoistway.
- 7.5 Heat and smoke sensing devices at elevator lobbies on each floor, machine room, and hoistways (where applicable), with normally open dry contacts terminating at a properly marked terminal in the elevator controller. A code compliant Life Safety Communication system or suitable dedicated telephone connection to each elevator controller (must be a dedicated line and monitored 24 hours). Instrument in cab by others.
- 7.6 Emergency power supply with a dry set of contacts which close 20 seconds prior to the transfer from normal power to emergency power or from emergency power to normal power whether in test mode or normal operating conditions. Automatic time delay transfer switch and auxiliary contacts with wiring to the designated elevator controller. Electrical cross connections between elevator machine rooms for emergency power purposes are to be provided by others. Any governmentally required safety provisions not directly involved for elevator installation. All painting, except as otherwise specified. Temporary elevator service prior to completion and acceptance of complete installation. Furnishing, installing and maintaining the required fire rating of elevator hoistway walls, including the penetration of firewall by elevator fixture boxes, is not the responsibility of County's elevator contractor. Flooring and/or installation of flooring by others.
- 7.7 Field verify during pre-bid job-walk: Contractor shall provide a bonded N.E.C. compliant service ground wire, properly sized, from the elevator controller(s) to the primary building ground. (if necessary)
- 7.8 Remote wiring to outside alarm bell as requested by the National Safety Code for Elevators and Escalators (ASME A17.1) (where applicable). Cost for additional inspections of the elevator equipment by code authorities after the initial one fails due to items that are the responsibility of the Contractor, or for assisting others inspecting equipment installed by others.
- 7.9 County agrees to work closely with the Contractor to provide a dry and secure area for storage of the elevator equipment at the time of delivery. Adequate ingress and egress to this area will be coordinated between County's Project Manager and the Contractor.
- 7.10 If the Contractor suspects coming into contact with or disturbing asbestos materials, the County will perform necessary testing and abatement of ACM's.

2.00 GENERAL CONDITIONS.

2.01 OWNER. The term "Owner", where used herein, shall mean the County of Stanislaus, a political subdivision of the State of California.

2.02 BOARD. The term "Board", where used herein, shall mean the Stanislaus County Purchasing Division of the County of Stanislaus, California.

2.03 ENGINEER. The Purchasing Agent shall supervise and be responsible for the work, and whenever the word "Director" or the word "Engineer" is used herein, it shall mean the Purchasing Agent of the County of Stanislaus, acting either directly or through properly authorized agents, such agents acting within the scope of the particular duties delegated to them.

2.04 CONTRACTOR. The term "Contractor", where used herein, shall mean the Contractor to whom the contract for the work described and specified herein has been awarded to by the Board.

2.05 SUBCONTRACTOR. The term "Subcontractor", where used herein, includes only those having a direct contract with the Contractor for the work or portion of the work described and specified herein.

2.06 WORK. The term "Work", where used herein, includes all labor, materials and any necessary equipment required for complete performance of the contract.

2.07 CONTRACT DOCUMENTS. The term "Contract Documents", where used herein, includes the following: The Notice to Bidders, the Instructions to Bidders, the General Conditions, the plans and specifications, the bid, the Agreement, the general bond and insurance certificates. The contract documents are complementary, and what is called for by one shall be as binding as if called for by all.

2.08 DOCUMENT CLARITY. The Contractor's attention is directed Government Code section 27361.7, which requires that documents will reproduce readable photographic record:

Whenever the text of a document presented for record may be made out but is not sufficiently legible to reproduce a readable photographic record, the recorder may require the person presenting it for record to substitute a legible original document or to prepare a legible copy of the first document by handwriting or typewriting and attach the same to the original as a part of the document for making the permanent photographic record. The handwritten or typewritten legible copy shall be certified by the party creating the copy under penalty of perjury as being a true copy of the original. As used in this section, the word "text" includes the notary seal, certificates, and other appendages thereto.

2.09 COMPLETE CONTRACT. The complete contract consists of all of the contract documents.

2.10 PLANS AND SPECIFICATIONS. The term "Plans and Specifications", where used herein, shall mean and include all specifications and provisions of any kind, whether general, detailed or otherwise, relating to the labor, equipment, material or work in the installation thereof, and the plans and drawings, if any, accompanying same which are made a part hereof.

2.11 AGREEMENT. The Contractor to whom the work is awarded shall, within eight days after receipt of the contract documents as mailed by the Purchasing Agent, enter into an agreement with the owner. The form of agreement is attached herein and made a part of these General Conditions.

2.12 MATERIAL, LABOR, EQUIPMENT AND OTHER FACILITIES. Unless otherwise provided, the Contractor shall provide and pay for all materials, labor, water, tools, equipment, lights, power, transportation and other facilities necessary for the execution and completion of the work.

2.13 PERMITS AND LICENSES. All permits and licenses necessary for the prosecution of the work shall be secured and paid for by the Contractor, except those secured by Owner and so noted.

2.14 INSPECTION OF WORK. A representative of the Owner shall, at all times, have access to the work and the Contractor shall provide proper facilities for such access and for inspection. The Contractor's attention is directed to Government Code Section 1126 and Stanislaus County Department of Public Works regulations wherein the Owner's representative is prohibited from accepting from the Contractor, his employees, and subcontractors any gratuity, gift, service or material of any value or use of equipment or facilities, and agrees to abide by the section and regulations.

2.15 BONDS. The Contractor shall furnish and deliver to the Board a surety bond in the amount equal to one hundred percent (100%) of the contract price to guarantee the faithful performance of the contract, and a surety bond in an amount

equal to one hundred percent (100%) of the contract price for the faithful payment and satisfaction of all lawful claims of all persons for labor and material furnished and the prosecution of the contract. Such surety bonds shall be issued by a corporation duly and legally licensed to transact surety business in the State of California and approved by the Board. All participating signatures on the bonds shall be notarized.

2.16 INSURANCE.

2.16.1 Scope of Coverage. Contractor shall take out, and maintain during the life of this Agreement, insurance policies with coverage at least as broad as follows:

(a) General Liability. Comprehensive general liability insurance covering bodily injury, personal injury, property damage, products and completed operations with limits of no less than One Million Dollars (\$5,000,000) per incident or occurrence. If Commercial General Liability Insurance or other form which uses a general aggregate limit, either the general aggregate limit shall apply separately to any act or omission by Contractor under this Agreement or the general aggregate limit shall be twice the required occurrence limit.

(b) Fire Insurance. Builder's Risk Fire Insurance, including Extended Coverage and Vandalism and Malicious Mischief endorsements, jointly in the name of the Owner and the Contractor, such insurance at all times to be of sufficient amount to cover fully all loss or damage to the work under this agreement, resulting from fire and perils covered by the above-referenced endorsements, with limits of not less than one hundred percent of the contract price.

(c) Automobile Liability Insurance. If the Contractor or the Contractor's officers, employees, agents, representatives or subcontractors utilize a motor vehicle in performing any of the work or services under this Agreement, owned/non-owned automobile liability insurance providing combined single limits covering bodily injury, property damage and transportation related pollution liability with limits of no less than One Million Dollars (\$1,000,000) per incident or occurrence.

(d) Workers' Compensation Insurance. Workers' Compensation insurance as required by the California Labor Code. In signing this contract, the Contractor certifies under section 1861 of the Labor Code that the Contractor is aware of the provisions of section 3700 of the Labor Code which requires every employer to be insured against liability for workmen's compensation or to undertake self-insurance in accordance with the provisions of that code, and that the Contractor will comply with such provisions before commencing the performance of the work of this Agreement.

2.16.2 Deductibles, Self-insured Retentions and Named Insureds. Any deductibles, self-insured retentions or named insureds must be declared in writing and approved by Owner. At the option of the Owner, either: (a) the insurer shall reduce or eliminate such deductibles, self-insured retentions or named insureds, or (b) the Contractor shall provide a bond, cash or letter of credit guaranteeing payment of the self-insured retention or deductible and payment of any and all costs, losses, related investigations, claim administration and defense expenses.

2.16.3 Additional Insured. The Contractor shall provide a specific endorsement to all required insurance policies, except Workers' Compensation insurance and Professional Liability insurance, if any, naming the Owner and its officers, officials and employees as additional insureds regarding: (a) liability arising from or in connection with the performance or omission to perform any term or condition of this Agreement by or on behalf of the Contractor, including the insured's general supervision of the Contractor; (b) services, products and completed operations of the Contractor; (c) premises owned, occupied or used by the Contractor; and (d) automobiles owned, leased, hired or borrowed by the Contractor. For Workers Compensation insurance, the insurance carrier shall agree to waive all rights of subrogation against the Owner and its officers, officials and employees for losses arising from the performance of or the omission to perform any term or condition of this Agreement by the Contractor.

2.16.4 Primary Insurance. The Contractor's insurance coverage shall be primary insurance regarding the Owner and Owner's officers, officials and employees. Any insurance or self-insurance maintained by the Owner or Owner's officers, officials and employees shall be excess of the Contractor's insurance and shall not contribute with Contractor's insurance.

2.16.5 Compliance. Any failure to comply with reporting provisions of the policies shall not affect coverage provided to the Owner or its officers, officials, employees or volunteers.

2.16.6 Application of Insurance. The Contractor's insurance shall apply separately to each insured against whom claim is made or suit is brought, except with respect to the limits of the insurer's liability.

2.16.7 Notice of Cancellation. Each insurance policy required by this section shall be endorsed to state that coverage shall not be suspended, voided, canceled by either party or reduced in coverage or in limits except after thirty (30) days' prior written notice by certified mail, return receipt requested, has been given to Owner.

2.16.8 Acceptability of Insurers. Insurance is to be placed with California admitted insurers (licensed to do business in California) with a current rating by Best's Key Rating Guide of no less than A-VII.

2.16.9 Subcontractors. Contractor shall require that all of its subcontractors are subject to the insurance and indemnity requirements stated herein, or shall include all subcontractors as additional named insureds under its insurance policies.

2.16.10 Verification of Coverage. At least ten (10) days prior to the date the Contractor begins performance of its obligations under this Agreement, Contractor shall furnish County with certificates of insurance, and with original endorsements, showing coverage required by this Agreement, including, without limitation, those that verify coverage for subcontractors of the Contractor. The certificates and endorsements for each insurance policy are to be signed by a person authorized by that insurer to bind coverage on its behalf. All certificates and endorsements shall be received and, in County's sole and absolute discretion, approved by County. County reserves the right to require complete copies of all required insurance policies and endorsements, at any time.

2.16.11 Limitation of Liability. The limits of insurance described herein shall not limit the liability of the Contractor and Contractor's officers, employees, agents, representatives or subcontractors.

2.17 DEFENSE AND INDEMNIFICATION.

2.17.1 Contractor Indemnification. Contractor and its officers, employees, agents, representatives or subcontractors shall defend, indemnify and hold harmless the Owner and its agents, officers and employees from and against all claims, damages, losses, judgments, liabilities, expenses and other costs, including litigation costs and attorney fees, arising out of, resulting from, or in connection with the performance of this Agreement by Contractor or Contractor's officers, employees, agents, representatives or subcontractors. Contractor's obligation to defend, indemnify and hold the Owner and its agents, officers and employees harmless applies to any actual or alleged personal injury, death, or damage or destruction to tangible or intangible property including the loss of use. Contractor's obligation under this paragraph extends to any claim, damage, loss, liability, expense or other cost which is caused in whole or in part, directly or indirectly, by any act or omission of the Contractor and its officers, employees, agents, representatives, subcontractors, suppliers or anyone directly or indirectly employed by any of them or anyone for whose acts or omissions any of them may be liable.

2.17.2 Effect of Insurance. Contractor's obligation to defend, indemnify and hold the Owner and its agents, officers and employees harmless under the provisions of this paragraph is not limited to or restricted by any requirement in this Agreement for Contractor to procure and maintain a policy of insurance.

2.17.3 Owner Indemnification. To the extent permitted by law, the Owner shall defend, indemnify and hold harmless Contractor and its officers, employees, agents, representatives or subcontractors from and against all claims, damages, losses, judgments, liabilities, expenses and other costs, including litigation costs and attorney's fees, arising out of or resulting from the active negligence or wrongful acts of Owner and its officers or employees.

2.18 ASSIGNMENT OF CONTRACT. The Contractor shall not assign the contract or sublet it as a whole without written consent of the owner, nor shall the Contractor assign any monies due or to become due to him hereunder without the written consent of the Owner.

2.19 EIGHT-HOUR DAY. The time of service of any laborer, workman, or mechanic employed upon any of the work herein specified is limited and restricted to eight (8) hours during any one calendar day, and 40 hours during any one calendar week, except that work performed by employees of contractors in excess of eight (8) hours per day, and 40 hours during any one week, shall be permitted upon public work upon compensation for all hours worked in excess of eight (8) hours per day and not less than one and one-half (1-1/2) times the basic rate of pay.

The Contractor shall forfeit, as a penalty to the owner \$25.00 for each laborer, workman or mechanic employed in the execution of this contract by him or by any subcontractor under him, upon any public work herein specified for each calendar day or week during which any laborer, workman or mechanic is required or permitted to labor more than eight (8) hours in any one calendar day or 40 hours in any one calendar week in violation of the provisions of Article 3 of Chapter 1, Part 7, Division 2 of the Labor Code of the State of California, and said sums and amount which shall have been so forfeited pursuant to this paragraph and said provisions of said Labor Code shall be withheld and retained from payment due to the Contractor under this contract, pursuant to this contract and the said terms of said Code; but no sums shall be so withheld, retained, or forfeited except from the final payment without a full investigation by either the Division of Labor Law Enforcement of the State Department of Industrial Relations or by said Board.

2.20 PREVAILING WAGES. The Contractor shall comply with Labor Code Section 1775. In accordance with said Section 1775, the Contractor shall forfeit, as a penalty to the County of Stanislaus, \$25.00 for each calendar day or portion thereof for each workman paid less than the stipulated prevailing rates for such work or craft in which such workman is employed for any work done under the contract by him or by any subcontractor under him. In addition to said penalty, the difference between such stipulated prevailing wage rates and the amount paid to each workman for each calendar day or portion thereof for which each workman was paid less than the stipulated prevailing wage rate shall be paid to each workman by the Contractor.

Pursuant to Sections 1770 and 1773 of the Labor Code, the Board of Supervisors has ascertained the general prevailing rate of per diem wages applicable to the work to be done for straight time, overtime, Saturday, Sunday and holiday work. These wage rates, which are set forth by the Director of the Department of Industrial Relations, are now on file with the Purchasing Agent and are a part of the contract. The Contractor is required to post a copy of these prevailing wage rates on the job site.

The Owner will not recognize any claim for additional compensation because of the payment by the Contractor of any wage rate in excess of the prevailing wage rate set forth as provided herein. The possibility of wage increases is one of the elements to be considered by the Contractor in determining his bid, and will not under any circumstances be considered as the basis of a claim against the Owner on the contract.

2.21 PAYROLLS AND BASIC RECORDS. The Contractor shall meet the requirements of Section 7-1.01A(3), "Payroll Records", of the State of California Standard Specifications. The Contractor shall be responsible for compliance by his subcontractors.

2.22 REQUIRED LISTING OF PROPOSED SUBCONTRACTORS. Each bid shall have listed therein the name and address of each subcontractor to whom the bidder proposes to subcontract portions of the work in the amount of 1/2 of one percent of his total bid or \$10,000, whichever is greater, in accordance with the Subletting and Subcontracting Fair Practices Act, commencing with Section 4100 of the Public Contract Code. A sheet for listing the subcontractors, as required herein, is included in the Bid. The bidder's attention is invited to other provisions of said Act related to the imposition of penalties for a failure to observe its provisions by using unauthorized subcontractor or by making unauthorized substitutions.

2.23 STANDARD SPECIFICATIONS AND CODES. All work herein specified shall be performed in accordance with applicable sections of the following Standard Specifications or Codes which are herein named and hereby made a portion of these specifications. In a case of conflict between these specifications and said Standards, these specifications shall be paramount.

Stanislaus County Code Title 16, Chap. 16.05 (Uniform Building Code, 1994 Edition)
Stanislaus County Code Title 16, Chap. 16.10 (Uniform Plumbing Code, 1994 Edition)
Stanislaus County Code Title 16, Chap. 16.15 (National Electric Code, 1993 Edition)
Stanislaus County Code Title 16, Chap. 16.20 (Uniform Mechanical Code, 1994 Edition)
Standard Specifications, State of California, Department of Transportation (1996)
Stanislaus County Improvement Standards
California Building Code (California Code of Regulations, Title 24, Part 2)

2.24 TAXES. Any federal, state or city tax payable on articles furnished by the Contractor under the contract shall be included in the contract price paid by the Contractor.

2.25 TIME FOR COMPLETION AND LIQUIDATED DAMAGES. The work to be performed under this contract shall be completed within

"Ninety (90) Working Days"

from the date of Notice to Proceed. Should the Contractor fail to complete this contract and the work provided for therein within the fixed time for such completion, the parties hereto agree that it would be impracticable or extremely difficult to fix the actual damage, and therefore agree that the Contractor shall be liable to the Owner and may be assessed by the Owner in the sum of five hundred dollars (\$500.00) per day for each calendar day this contract is delayed beyond the time of completion above agreed upon by failure of the Contractor to complete the contract as specified. Such payment shall be construed to be liquidated damages by the Contractor in lieu of any other claim for damage because of such delay, and shall not be construed as a penalty.

2.26 PREFERENCES. Price and quality being equal, preference shall be given by the Contractor to Stanislaus County products.

2.27 DEFECTS IN WORK. The Contractor shall be responsible for and must make good any defects through faulty, improper or inferior workmanship or materials arising or discovered in any part of this work within one (1) year after the completion and acceptance of the same.

2.28 DEVIATION FROM PLANS AND SPECIFICATIONS. No deviation shall be made from the plans and specifications. If the Contractor shall vary from the plans and specifications in the form of quality or in the work or the amount or value of the materials herein provided for, the Owner shall have the right to order such improper work or materials removed, remade or replaced. In the event that the work is ordered changed, any other work disturbed or damaged by such alteration shall be made good at the Contractor's expense.

2.29 BRANDS. Wherever the name or brand of a manufacturer or an article is specified herein, it is used as a measure of quality and utility or a standard. If the Contractor desires to use any other brand or manufacturer of equal quality and utility to that specified, he shall make application to the Owner in writing and submit samples, if requested. The Contractor shall have 35 days after the award of the contract for submission of data substantiating any such request for substitution of "equal" items. The Owners will then determine whether or not the name brand or article is equal in quality and utility to that specified, and its decision shall be final.

Except in those instances in which the product is designated to match others presently in use, specifications herein calling for a designated material, product, thing or service by specific brand or trade name shall be deemed to be followed by the words "or equal" so that bidders may furnish any equal material, product, thing or service. The successful bidder shall have thirty-five (35) days after award of the contract for submission of data substantiating a request for a substitution of "an equal" item, pursuant to Section 3400 of the Public Contract Code.

2.30 NEW MATERIALS. All materials used in the work shall be new and the best market quality, unless specified or shown otherwise. All labor used on this contract shall be competent and skilled for the work. All work executed under this contract shall be done in the best, most thorough substantial and workmanlike manner. All material and labor shall be subject to the approval of the Engineer as to quality and fitness, and shall be immediately removed if it does not meet with his approval.

2.31 ABANDONMENT OF WORK. Should the Contractor abandon the work called for under the plans and specifications and contract documents, or assign his contract, or if the Contractor unnecessarily and unreasonably delays the work, or if the Contractor willfully violates any of the conditions of the plans and specifications or contract documents, or performs the work in bad faith, the Owner shall have the power to notify the Contractor to discontinue all work or any part thereof under this contract, and thereupon the Contractor shall cease to continue said work or such part thereof as the Owner may designate, and the Owner shall thereupon have the power to employ such persons as it may consider desirable, and to obtain by contract, purchase, hire or otherwise, such implements, tools, material or materials as the Owner may deem advisable to work at and be used to complete the work herein described, or such part thereof as shall have not been completed, and to use such material as it may find upon the site of said work, and to charge the expense of such labor and material, implements and tools to the Contractor, and the expense so charged shall be deducted and paid by the Owner out of such monies as may be either due, or may at any time thereafter become due to the Contractor hereunder and by virtue of the contract.

In the case such expense is less than the sum which would have been payable under the contract, if the same had been completed by the Contractor, the Contractor shall be entitled to receive the difference, and in case such expense shall exceed the last said amount, then the Contractor or his bondsman shall pay the amount of such excess to the Owner on notice to either from the Owner the excess so due.

2.32 OCCUPANCY OF BUILDING. The Owner reserves the right to occupy or use any part or parts or the entirety of the building or project upon which the work is to be performed during the performance of the work. The exercising of this right shall in no way constitute an acceptance of such part or parts of the work, nor shall it in any way effect the date and time when the work is to be completed, nor shall it in any way prejudice the Owner's rights in the Contractor any bond guaranteeing the same; this contract is to be deemed completed only when all of the work contracted for shall be duly and properly performed and accepted by the Board.

2.33 EXTENSION OF TIME. If it appears to the Contractor that he will not complete the work herein specified in the time agreed, he shall make written application to the Owner at least five (5) calendar days prior to the expiration of the time for completion, stating the reasons why and the amount of extension which he believes he should be granted. The Owner may then, in its discretion, grant or deny such extension.

2.34 SUSPENSION OF WORK. Should the Owner, for any cause, authorize a suspension of work, the time of such suspension will be added to the time allowed for completion. Suspension of work by order of the Board shall not be deemed a waiver of the claim of the Owner for damages for non-completion of the work as above required.

2.35 JUSTIFIABLE DELAYS. The Contractor shall not be held responsible for delays in the completion of the work caused by strikes, labor disturbances, lack or failure of transportation, war, inability to obtain materials due to war conditions, perils of the sea, insurrection, riot, acts of any government, whether foreign or domestic, federal or state, and/or any other causes similar to the foregoing which are beyond the control of and are not the fault of the Contractor, or if prevented by conditions directly resulting from the execution of contracts or the placing of orders by the Federal government or its authorized agencies or representatives, which are required by law to be given priority, but provided that whenever the Contractor shall claim that delays are due to any or all of the above named cause or causes of delay, request an extension of time in accordance with paragraph 2.31 of these General Conditions, and if the Board finds that such cause or causes of delay exist, it shall grant him an extension of time equal to the delay resulting from such cause or causes, or the Board may at its option, rescind said contract and pay said Contractor for the reasonable value of the work completed and let a new contract for the completion of the remainder of the work herein specified.

2.36 PATENTS AND ROYALTIES. If any material, composition, process or any other thing called for or required by the plans and specifications heretofore adopted by the Owner is covered by letter patent, all royalties and expenses thereof, all litigation therefrom, or other things whatsoever which may develop as a cost from the use of such material, composition, process or any other thing which is covered by letter patents shall be borne by the Contractor. The Contractor shall pay all license and/or royalty fees. He shall defend all suits or claims for infringement of any patent rights and shall save the Owner harmless from loss on account thereof.

2.37 EXAMINATION OF SITE. The Contractor shall be held to have examined the site, compared it with the drawings and specifications, and to have satisfied himself as to the conditions under which the work is to be performed. No allowance or claims on his behalf will be made for any expense to which he may be put as a result or failure on his part to thoroughly acquaint himself with conditions at the site.

2.38 DAMAGE TO OTHERS. The Contractor shall exercise due caution during his operations so as not to damage the property of others or Owner's property not directly involved under the plans and specifications, and shall be responsible for the protection of this property and shall replace any and all such property to its former condition as a result of his failure to provide protection or exercise due caution during his operations.

2.39 SURVEYS AND GRADES. The Engineer shall establish permanent type reference monuments or posts for the alignment and elevations of all work. For structures he will provide said monuments for reference data only. For general engineering contracts he shall provide the usual stakes sufficient for construction. The Contractor shall be charged with the responsibility of adequately protecting said stakes and monuments. The Contractor shall be requested to set supplemental posts for detailed construction needs.

2.40 SHOP DRAWINGS. The Contractor shall furnish two (2) copies of shop drawings for all steel, miscellaneous iron, electrical and sheet metal work at such time as to cause no delay in his own or other person's work. The Engineer shall, with reasonable promptness, check the drawings, making corrections, and return them for fabrication; two (2) copies of the corrected drawings used for fabrication shall be returned to the Engineer. The drawings shall not relieve the Contractor from any errors made in fabrication or deviation from original plans and specifications unless such deviation has been specifically permitted in writing by the Purchasing Agent.

2.41 CORRECTION OF WORK AFTER FINAL PAYMENT. Neither the final certificate nor final payment, nor any provision of the contract documents shall relieve the Contractor of responsibility for faulty materials or workmanship, and unless otherwise specified, he shall remedy any defects due thereto and shall pay for any damage or other work resulting therefrom which shall appear within a period of one year from the date of substantial completion. The Owner shall give notice of observed defects with reasonable promptness. All questions arising under this article shall be decided by the Purchasing Agent.

2.42 CHANGES IN WORK. The Owner, without invalidating the contract, may order extra work or make changes by altering, adding to or deducting from the work, the contract sum being adjusted accordingly. All such work shall be performed under the conditions of the contract except that any claim for extension of time caused thereby shall be adjusted at the time of ordering the change. The Engineer shall have authority to make minor changes not involving extra cost and not inconsistent with the purpose of the project.

The value of such extra work or change shall be determined in one or more of the following ways:

- (a) By estimate and acceptance in a lump sum;
- (b) By unit prices named in the contract or subsequently agreed upon;
- (c) By cost and percentage and fixed fee.

Should conditions below surface of the ground be at variance with the conditions indicated by the drawings and specifications, the contract sum shall be equitably adjusted upon claim by either party made within a reasonable time after first observation of conditions.

The amount agreed upon as the value of any extra work resulting from any change order shall constitute full and complete compensation for all overhead, labor, material, tools, and equipment furnished in the performance of work required by that change order. Furthermore, the amount agreed upon as the value of extra work for any change order shall be accepted by the Contractor as full and complete compensation for any and all claims of any nature whatsoever, including, but not limited to, any actual or alleged claims for compensation by Contractor, or any subcontractor of Contractor for delays occasioned by or in any way arising out of stoppage of the work, coordination of the work with others, or processing of that change order.

2.43 CLEANING UP. Contractor shall at all times keep the premises free from accumulations of waste material or rubbish as a result of this operation. Upon completion of work he shall remove all rubbish, material and his equipment from the job and shall leave the job site in a "broom clean" or equivalent condition. In case of a dispute regarding this item, the Owner may remove rubbish or material and charge the cost to the several contractors as the authorized representative shall deem just.

2.44 SUPERVISION. The Contractor shall, at all times during the working hours of the contract, have a competent foreman or superintendent on the job who shall be authorized to act as an agent of the Contractor. Such agent shall be familiar with the type of work hereunder and be aware of the hazards and the safety rules relating to this particular type of construction. Ignorance or incompetence of a foreman shall be due cause for his removal from the job and cessation of work under this contract until the intent of this paragraph is fulfilled, without recourse by the Contractor for any extension of the time of completion as a result of the removal of such unsatisfactory agent.

2.45 APPRENTICESHIP STANDARDS. This contract is subject to the provisions in Sections 1777.5 (Chapter 1411, Statutes of 1968) and 1777.6 of the Labor Code concerning the employment of apprentices by the Contractor or any subcontractor under the Contractor. Section 1777.5, as amended, requires the Contractor or subcontractor employing tradesmen in any apprenticeable occupation to apply to the Joint Apprenticeship Committee nearest the site of the public works project and which administers the apprenticeship program in that trade for a certificate of approval. The certificate will also fix the ratio of apprentices to journeymen that will be used in the performance of the contract. The ratio of apprentices to journeymen in such cases shall not be less than one to five, except:

- (a) When unemployment in the area of coverage by the Joint Apprenticeship Committee has exceeded an average of fifteen percent (15%) in the 90 days prior to the request for certificate; or
- (b) When the number of apprentices in training in the area exceeds a ratio of one to five; or
- (c) When the trade can show that it is replacing at least 1/30 of its membership through apprenticeship training on an annual basis statewide or locally; or
- (d) When the Contractor provides evidence that he employs registered apprentices on all of his contracts on an annual average of not less than one apprentice to eight journeymen.

The Contractor is required to make contributions to funds established for the administration of apprenticeship programs if he employees registered apprentices or journeymen in any apprenticeable trade on such contracts and if other contractors on the public works site are making such contributions.

The Contractor and any subcontractor under him shall comply with the requirements of Sections 1777.5 and 1777.6 in the employment of apprentices.

Information relative to apprenticeship standards, wage schedules, and other requirements may be obtained from the Administrator of Apprenticeship, San Francisco, California, or from the Division of Apprenticeship Standards and its branch offices.

2.46 ASSIGNMENT OF ANTI-TRUST ACTIONS AND UNFAIR BUSINESS PRACTICE CLAIMS. In entering into a public works contract or a subcontract to supply goods, services, or materials pursuant to a public works contract, the Contractor or subcontractor offers and agrees to assign to the awarding body all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 (commencing with section 16700) of Part 2 of Division 7 of the Business and Professions Code), arising from purchases of goods, services, or materials pursuant to the public works contract or the subcontract. This assignment shall be made and become effective at the time the awarding body tenders final payment to the Contractor, without further acknowledgment by the parties.

2.47 EQUAL EMPLOYMENT OPPORTUNITY. Contractor agrees for the duration of this contract that it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, age, political affiliation, marital status, or handicap. The Contractor will take affirmative action to insure that employees are treated during employment or training without regard to their race, color, religion, sex, national origin, age, political affiliation, marital status, or handicap. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

The Contractor will in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, national origin, age, political affiliation, marital status, or handicap.

The Contractor will send to each labor union or other representative of workers with which it has a collective bargaining agreement or other contract or understanding, a notice advising the workers' representative of the Contractor commitments under this agreement.

The Contractor agrees that it will comply with the provisions of Titles VI and VII of the Civil Rights Act, Revenue Sharing Act Title 31, U.S. Code Section 2716, and California Government Code Section 12990.

The Contractor agrees that it will assist and cooperate with the County of Stanislaus, the State of California and the United States Government in obtaining compliance with the equal opportunity clause, rules, regulations, and relevant orders of the State of California and United States Government issued pursuant to the Acts.

In the event of the Contractor's non-compliance with the discrimination clause, the affirmative action plan of this contract, or with any of the said rules, regulations or orders, this contract may be canceled, terminated, or suspended in whole or in part by the Owner.

2.48 HANDICAPPED NON-DISCRIMINATION. This project is subject to Section 504 of the Rehabilitation Act of 1973 as amended (29 U.S.C. 794) and all requirements imposed by the applicable office of Revenue Sharing Regulations (31 CFR Part 51) and all guidelines and interpretations issued thereto. In this regard, the Owner and all of its contractors and subcontractors will take all reasonable steps to ensure that handicapped individuals have the maximum opportunity for the same level of aid, benefit or service as any other individual.

2.49 FAIR EMPLOYMENT AND HOUSING ACT ADDENDUM. In the performance of this contract, the Contractor will not discriminate against any employee or applicant for employment because of race, sex, color, religion, ancestry, or national origin. The Contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, sex, color, religion, ancestry, or national origin. Such action shall include, but not be limited to, the following: employment, upgrading, promotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor shall post in conspicuous places, available to employees and applicants for employment, notices to be provided by the State or local agency setting forth the provisions of this Fair Employment and Housing Section.

The Contractor will permit access to his records of employment, employment advertisements, application forms, and other pertinent data and records by the State Fair Employment and Housing Commission, or any other agency of the State of California designated by the awarding authority, for the purposes of investigation to ascertain compliance with the Fair Employment and Housing section of this contract.

Remedies for willful violation include:

(a) The State or local agency may determine a willful violation of the Fair Employment and Housing provision to have occurred upon receipt of a final judgment having that effect from a court in an action to which Contractor was a party; or upon receipt of a written notice from the Fair Employment and Housing Commission that it has investigated and determined that the Contractor has violated the Fair Employment and Housing Act and has issued an order or obtained an injunction under Government Code Section 12900, et seq.

(b) For willful violation of this Fair Employment and Housing provision the State or local agency shall have the right to terminate this contract either in whole or in part, and any loss or damage sustained by the State or local agency in securing the goods or services hereunder shall be borne and paid for by the Contractor and by his surety under the performance bond, if any, and the State or local agency may deduct from any monies due or that thereafter may become due to the Contractor, the difference between the price named in the contract and the actual cost thereof to the State or local agency.

2.50 CONTRACTS WHICH INVOLVE DIGGING TRENCHES OR EXCAVATIONS. Pursuant to Public Contract Code section 7104, the Contractor is hereby notified as follows:

Any public works contract of a local public entity which involves digging trenches or other excavations that extend deeper than four feet below the surface shall contain a clause which provides the following:

(a) That the Contractor shall promptly, and before the following conditions are disturbed, notify the public entity, in writing, of any:

(1) Material that the Contractor believes may be material that is hazardous waste, as defined in Section 25117 of the Health and Safety Code, that is required to be removed to a Class I, Class II, or Class III disposal site in accordance with provisions of existing law.

(2) Subsurface or latent physical conditions at the site differing from those indicated.

(3) Unknown physical conditions at the site of any unusual nature, different materially from those ordinarily encountered and generally recognized as inherent in work of the character provided for in the contract.

(b) That the public entity shall promptly investigate the conditions, and if it finds that the conditions do materially so differ, or do involve hazardous waste, and cause a decrease or increase in the contractor's cost of, or the time required for, performance of any part of the work shall issue a change order under the procedures described in the contract.

(c) That, in the event that a dispute arises between the public entity and the contractor whether the conditions materially differ, or involve hazardous waste, or cause a decrease or increase in the contractor's cost of, or time required for, performance of any part of the work, the contractor shall not be excused from any scheduled completion date provided for by the contract, but shall proceed with all work to be performed under the contract. The Contractor shall retain any and all rights provided either by contract or by law which pertain to the resolution of disputes and protests between the contracting parties.

2.51 ARBITRATION. The last paragraph in Section 9-1.10, "Arbitration," of the Standard Specifications is amended to read as follows:

Arbitration shall be initiated by a Complaint in Arbitration made in compliance with the requirements of said regulations. A Complaint in Arbitration by the Contractor shall be made not later than 180 days after the date of service in person or by mail on the Contractor of the final written decision by the Department on the claim.

2.52 NOTICE OF POTENTIAL CLAIM. Section 9-1.04, "Notice of Potential Claim," of the Standard Specifications is amended to read as follows:

9-1.04 Notice of Potential Claim. The Contractor shall not be entitled to the payment of any additional compensation for any act, or failure to act, by the Engineer, including failure or refusal to issue a change order, or for the happening of any event, thing, occurrence, or other cause, unless he shall have given the Engineer due written notice of potential claim as hereinafter specified. Compliance with this Section 9-1.04 shall not be a prerequisite as to matters within the scope of the protest provisions in Section 4-1.03, "Changes," or Section 8-1.06, "Time of Completion," or the notice provisions in Section 5-1.116, "Differing Site Conditions," or Section 8-1.07, "Liquidated Damages," or Section 8-1.10, "Utility and Non-Highway Facilities," nor to any claim which is based on differences in measurements or errors of computation as to contract quantities.

The written notice of potential claim shall be submitted to the Engineer prior to the time that the Contractor performs the work giving rise to the potential claim for additional compensation, if based on an act or failure to act by the Engineer, or in all other cases within 15 days after the happening of the event, thing, occurrence, or other cause, giving rise to the potential claim.

The written notice of potential claim shall be submitted on Form CEM-6201 furnished by the Department and shall be certified with reference to the California False Claims Act (Government Code sections 12650 et seq.). The notice shall set forth the reasons for which the Contractor believes additional compensation will or may be due and the nature of the costs involved. Unless the amount of the potential claim has been stated in the written notice, the Contractor shall, within 15 days of submitting said notice, furnish an estimate of the cost of the affected work and impacts, if any, on project completion. Said estimate of costs may be changed or updated by the Contractor when conditions have changed. When the affected work is completed, the Contractor shall submit substantiation of his actual costs. Failure to do so shall be sufficient cause for denial of any claim subsequently filed on the basis of said notice of potential claim.

It is the intention of this Section 9-1.04 that differences between the parties arising under and by virtue of the contract be brought to the attention of the Engineer at the earliest possible time in order that such matters may be settled, if possible, or other appropriate action promptly taken. The Contractor hereby agrees that he shall have no right to additional compensation for any claim that may be based on any such

act, failure to act, event, thing or occurrence for which no written notice of potential claim as herein required was filed.

Should the Contractor, in connection with or subsequent to the assertion of a potential claim, request inspection and copying of documents or records in the possession of the Department that pertain to the potential claim, Contractor shall make its records of the project, as deemed by the Department to be pertinent to the potential claim, available to the Department for inspection and copying.

2.53 FINAL PAYMENT AND CLAIMS. Section 9-1.07B, "Final Payment and Claims," of the Standard Specifications is amended to read as follows:

"9-1.07B Final Payment and Claims. After acceptance by the Director, the Engineer will make a proposed final estimate in writing of the total amount payable to the Contractor, including therein an itemization of said amount, segregated as to contract item quantities, extra work and any other basis for payment, and shall also show therein all deductions made or to be made for prior payments and amounts to be kept or retained under the provisions of the contract. All prior estimates and payments shall be subject to correction in the proposed final estimate. The Contractor shall submit written approval of the proposed final estimate or a written statement of all claims arising under or by virtue of the contract so that the Engineer receives such written approval or statement of claims no later than close of business of the thirtieth day after receiving the proposed final estimate. If the thirtieth day falls on a Saturday, Sunday or legal holiday, then receipt of such written approval or statement of claims by the Engineer shall not be later than close of business of the next business day. No claim will be considered that was not included in the written statement of claims, nor will any claim be allowed as to which a notice or protest is required under the provisions in Sections 4-1.03, "Changes," 8-1.06, "Time of Completion," 8-1.07, "Liquidated Damages" 5-1.116, "Differing Site Conditions," 8-1.10, "Utility and Non-Highway Facilities," and 9-1.04, "Notice of Potential Claim," unless the Contractor has complied with the notice or protest requirements in said sections.

"On the Contractor's approval, or if he files no claim within said period of 30 days, the Engineer will issue a final estimate in writing in accordance with the proposed final estimate submitted to the Contractor and within 30 days thereafter the State will pay the entire sum so found to be due. Such final estimate and payment thereon shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefor, except as otherwise provided in Sections 9-1.03C, 'Records,' and 9-1.09, "Clerical Errors."

"If the Contractor within said period of 30 days files claims, the Engineer will issue a semifinal estimate in accordance with the proposed final estimate submitted to the Contractor and within 30 days thereafter the State will pay the sum so found to be due. Such semifinal estimate and payment thereon shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefor, except insofar as affected by the claims filed within the time and in the manner required hereunder and except as otherwise provided in Sections 9-1.03C, "Records," and 9-1.09, "Clerical Errors."

"Claims filed by the Contractor shall be in sufficient detail to enable the Engineer to ascertain the basis and amount of said claims. If additional information or details are required by the Engineer to determine the basis and amount of said claims, the Contractor shall furnish such further information or details so that the information or details are received by the Engineer no later than the fifteenth day after receipt of the written request from the Engineer. If the fifteenth day falls on a Saturday, Sunday or legal holiday, then receipt of such information or details by the Engineer shall not be later than close of business of the next business day. Failure to submit such information and details to the Engineer within the time specified will be sufficient cause for denying the claim.

"The Contractor shall keep full and complete records of the costs and additional time incurred for any work for which a claim for additional compensation is made. The Engineer or any designated claim investigator or auditor shall have access to those records and any other records as may be required by the Engineer to determine the facts or contentions involved in the claims. Failure to permit access to such records shall be sufficient cause for denying the claims.

"Claims submitted by the Contractor shall be accompanied by a notarized certificate containing the following language:

"Under the penalty of law for perjury or falsification and with specific reference to the California False Claims Act (Government Code Section 12650 et. seq.), the undersigned, hereby certifies

that the claim for the additional compensation and time, if any, made herein for the work on this contract is a true statement of the actual costs incurred and time sought, and is fully documented and supported under the contract between parties.

Dated _____ /s/ _____

(name) _____ of
(title) _____

(company)

Subscribed and sworn before me this _____ day of _____.

Notary Public

My Commission Expires _____

Failure to submit the notarized certificate will be sufficient cause for denying the claim.

Any claim for overhead type expenses or costs, in addition to being certified as stated above, shall be supported by an audit report of an independent Certified Public Accountant. Any such overhead claim shall also be subject to audit by the State at its discretion.

Any costs or expenses incurred by the State in reviewing or auditing any claims that are not supported by the Contractor's cost accounting or other records shall be deemed to be damages incurred by the State within the meaning of the California False Claims Act.

The District Director of the District which administers the contract will make the final determination of any claims which remain in dispute after completion of claim review by the Engineer. A board or person designated by said District Director will review such claims and make a written recommendation thereon to the District Director. The Contractor may meet with the review board or person to make a presentation in support of such claims.

Upon final determination of the claims, the Engineer will then make and issue his final estimate in writing and within 30 days thereafter the State will pay the entire sum, if any, found due thereon. Such final estimate shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefor, except as otherwise provided in Sections 9-1.03C, "Records," and 9-1.09, "Clerical Errors."

2.54 CLAIMS UNDER \$375,000. The provision of Article 1.5 (commencing with section 20104) of the Public Contract Code, relating to the resolution of construction Claims of three hundred seventy-five thousand dollars (\$375,000) or less which arise between a contractor and a local agency are hereby incorporated in this Contract and set forth below.

20104. (a) (1) This article applies to all public works claims of three hundred seventy-five thousand dollars (\$375,000) or less which arise between a contractor and a local agency.

(2) This article shall not apply to any claims resulting from a contract between a contractor and a public agency when the public agency has elected to resolve any disputes pursuant to Article 7.1 (commencing with Section 10240) of Chapter 1 of Part 2.

(b) (1) "Public work" has the same meaning as in Sections 3100 and 3106 of the Civil Code, except that "public work" does not include any work or improvement contracted for by the state or the Regents of the University of California.

(2) "Claim" means a separate demand by the contractor for (A) a time extension, (B) payment of money or damages arising from work done by, or on behalf of, the contractor pursuant to the contract for a public work and payment of which is not otherwise expressly provided for or the claimant is not otherwise entitled to, or (C) an amount the payment of which is disputed by the local agency.

(c) The provisions of this article or a summary thereof shall be set forth in the plans or specifications for any work which may give rise to a claim under this article.

(d) This article applies only to contracts entered into on or after January 1, 1991.

20104.2. For any claim subject to this article, the following requirements apply:

(a) The claim shall be in writing and include the documents necessary to substantiate the claim. Claims must be filed on or before the date of final payment. Nothing in this subdivision is intended to extend the time limit or supersede notice requirements otherwise provided by contract for the filing of claims.

(b) (1) For claims of less than fifty thousand dollars (\$50,000), the local agency shall respond in writing to any written claim within 45 days of receipt of the claim, or may request, in writing, within 30 days of receipt of the claim, any additional documentation supporting the claim or relating to defenses to the claim the local agency may have against the claimant.

(2) If additional information is thereafter required, it shall be requested and provided pursuant to this subdivision, upon mutual agreement of the local agency and the claimant.

(3) The local agency's written response to the claim, as further documented, shall be submitted to the claimant within 15 days after receipt of the further documentation or within a period of time no greater than that taken by the claimant in producing the additional information, whichever is greater.

(c) (1) For claims of over fifty thousand dollars (\$50,000) and less than or equal to three hundred seventy-five thousand dollars (\$375,000), the local agency shall respond in writing to all written claims within 60 days of receipt of the claim, or may request, in writing, within 30 days of receipt of the claim, any additional documentation supporting the claim or relating to defenses to the claim the local agency may have against the claimant.

(2) If additional information is thereafter required, it shall be requested and provided pursuant to this subdivision, upon mutual agreement of the local agency and the claimant.

(3) The local agency's written response to the claim, as further documented, shall be submitted to the claimant within 30 days after receipt of the further documentation, or within a period of time no greater than that taken by the claimant in producing the additional information or requested documentation, whichever is greater.

(d) If the claimant disputes the local agency's written response, or the local agency fails to respond within the time prescribed, the claimant may so notify the local agency, in writing, either within 15 days of receipt of the local agency's response or within 15 days of the local agency's failure to respond within the time prescribed, respectively, and demand an informal conference to meet and confer for settlement of the issues in dispute. Upon a demand, the local agency shall schedule a meet and confer conference within 30 days for settlement of the dispute.

(e) Following the meet and confer conference, if the claim or any portion remains in dispute, the claimant may file a claim as provided in Chapter 1 (commencing with Section 900) and Chapter 2 (commencing with Section 910) of Part 3 of Division 3.6 of Title 1 of the Government Code. For purposes of those provisions, the running of the period of time within which a claim must be filed shall be tolled from the time the claimant submits his or her written claim pursuant to subdivision (a) until the time that claim is denied as a result of the meet and confer process, including any period of time utilized by the meet and confer process.

(f) This article does not apply to tort claims and nothing in this article is intended nor shall be construed to change the time periods for filing tort claims or actions specified by Chapter 1 (commencing with Section 900) and Chapter 2 (commencing with Section 910) of Part 3 of Division 3.6 of Title 1 of the Government Code.

20104.4. The following procedures are established for all civil actions filed to resolve claims subject to this article:

(a) Within 60 days, but no earlier than 30 days, following the filing or responsive pleadings, the court shall submit the matter to nonbinding mediation unless waived by mutual stipulation of both parties. The mediation process shall provide for the selection within 15 days by both parties of a disinterested third person as mediator, shall be commenced within 30 days of the submittal, and shall be

concluded within 15 days from the commencement of the mediation unless a time requirement is extended upon a good cause showing to the court or by stipulation of both parties. If the parties fail to select a mediator within the 15-day period, any party may petition the court to appoint the mediator.

(b) (1) If the matter remains in dispute, the case shall be submitted to judicial arbitration pursuant to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, notwithstanding Section 1141.11 of that code. The Civil Discovery Act (Title 4 (commencing with Section 2016.010) of Part 4 of the Code of Civil Procedure) shall apply to any proceeding brought under this subdivision consistent with the rules pertaining to judicial arbitration.

(2) Notwithstanding any other provision of law, upon stipulation of the parties, arbitrators appointed for purposes of this article shall be experienced in construction law, and, upon stipulation of the parties, mediators and arbitrators shall be paid necessary and reasonable hourly rates of pay not to exceed their customary rate, and such fees and expenses shall be paid equally by the parties, except in the case of arbitration where the arbitrator, for good cause, determines a different division. In no event shall these fees or expenses be paid by state or county funds.

(3) In addition to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, any party who after receiving an arbitration award requests a trial de novo but does not obtain a more favorable judgment shall, in addition to payment of costs and fees under that chapter, pay the attorney's fees of the other party arising out of the trial de novo.

(c) The court may, upon request by any party, order any witnesses to participate in the mediation or arbitration process.

20104.6. (a) No local agency shall fail to pay money as to any portion of a claim which is undisputed except as otherwise provided in the contract.

(b) In any suit filed under Section 20104.4, the local agency shall pay interest at the legal rate on any arbitration award or judgment. The interest shall begin to accrue on the date the suit is filed in a court of law.