



# Job Task Analysis

---

<b>Employer:</b>	<b>Stanislaus County</b>
<b>Occupation:</b>	Plan Check Engineer
<b>Company Contact:</b>	Risk Management 1010 10 <sup>th</sup> Street Modesto, California 95354 (209) 525-5770
<b>Date:</b>	November 2009
<b>Analysis Provided By:</b>	Lyle Andersen, PT, CWCE Andersen Physical Therapy, Inc. 3500 Coffee Road, Suite 3 Modesto, California 95355 (209) 549-4626

---

## INTRODUCTION:

A complete job description is available through Stanislaus County Human Resources. The environmental factors, physical and functional demands for this Job Task Analysis were documented by Andersen Physical Therapy, Inc. The methodology for documentation consisted of on-site visits, using various measuring devices such as dynamometers and scales, as well as observation and interviews with employees and managers. A detailed record was made of the physical and functional demands of the job in terms of force pounds, weight, frequency, height, distance, anthropometric measurements, stamina, and degrees of range of motion. The determination of the frequencies of functional activities is based on standards provided by the National Institute for Occupational Safety and Health (NIOSH) and the Work Practice Guide for Manual Lifting (U.S. Department of Commerce, National Technical Information Service).

The Job Task Analysis is organized as follows: General work description; safety requirements; equipment; environmental factors; and physical/functional demands.

---

Chief Executive Office – Recruitment Unit  
P.O. Box 3404, Modesto, CA 95354

Phone (209) 525-6341 Fax (209) 525-4056

Chief Executive Office – Risk Management Division  
P.O. Box 1723, Modesto, CA 95354

Phone (209) 525-5710 Fax (209) 525-5779

**GENERAL WORK DESCRIPTION:**

The frequency of the following activities may vary according to the physical requirements of the specific job tasks that the employee may be required to perform at random intervals.

Under the general supervision of the department manager, the Plan Check Engineer, performs journey-level work in receiving and checking engineering and commercial or industrial plans for engineering requirements; to code compliance, and may act for the Director of Planning and Community Development (Building Permit Division).

**SPECIFIC DUTIES:** Available through the Human Resources Department at the County of Stanislaus.

<http://www.stancounty.com/personnel/PDF/JobSpecifications.pdf>

**Safety Requirements:** All employees are required to observe company safety procedures and standards to insure individual and collective safety, in addition to avoiding unnecessary risk to oneself, co-workers, customers, and property.

**Equipment:**

- |                      |                       |
|----------------------|-----------------------|
| 1. Blueprint machine | 5. Keyboard           |
| 2. Calculator        | 6. Microfiche machine |
| 3. Computer          | 7. Mouse              |
| 4. Copy machine      | 8. Telephone          |

*All employees within the **Plan Check Engineer** position are required to provide physical assistance for all weight and frequency requirement needs of all job tasks in order to maintain a safe work environment. Employees must be physically capable of working in any of the job tasks within the **Plan Check Engineer** position.*

**ENVIRONMENTAL FACTORS**



The following percentages are given in terms of an eight-hour workday:

<b>Seldom</b> =	1% - 2%	<b>Frequent</b> =	34% - 66%
<b>Occasional</b> =	3% - 33%	<b>Constant</b> =	67% - 100%

ENVIRONMENTAL FACTORS		MAXIMUM FREQUENCY
1.	Unprotected heights: .....	Not Applicable
2.	Being around moving machinery: traffic.....	Seldom
3.	Exposure to marked changes in temperature and humidity: outside temperatures may seasonally vary between 28-110 degrees.	Not Applicable
4.	Exposure to dust, fumes, smoke, gases, or other irritating substances (specify):	Not Applicable
5.	Driving: vehicle.....	Seldom
6.	Exposure to excessive noise:..... <i>Hearing protection is available</i>	Not Applicable
7.	Exposure to radiant or electrical energy:.....	Not Applicable
8.	Exposure to solvents or chemicals:..... <i>Refer to MSDS document.</i>	Not Applicable
9.	Exposure to slippery or uneven walking surfaces:.....	Not Applicable
10.	Working below ground:.....	Not Applicable
11.	Unusual fatigue factors: .....	Not Applicable
12.	Working with explosives:.....	Not Applicable
13.	Excessive vibration: .....	Not Applicable
14.	Working with hands in water or other substance:..... <i>Hand protection is available</i>	Not Applicable
15.	Working proximity:.....	Alone: Not Applicable Closely with others: Continuous
16.	Working inside:.....	Continuous
17.	Working outside:.....	Seldom

## FUNCTIONAL ACTIVITIES



The frequency of the following activities may vary according to the physical requirements of the specific job tasks the employee may be required to perform at random intervals.

### PHYSICAL AND FUNCTIONAL REQUIREMENTS

<u>FREQUENCY DEFINITIONS</u>	<u>SELDOM</u>	<u>OCCASIONAL</u>	<u>FREQUENT</u>	<u>CONSTANT</u>
Percent of the Day	1-2%	3-33%	34-66%	67-100%
Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Non Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Repetitive & Static Work	1-50 Reps	51-250 Reps	251-1,000 Reps	1,001-20,000 Reps

1.) **PUSH:** *Pushing activities may require use of the back in conjunction with leg and arm musculature.*

#### MAXIMUM REQUIREMENT

<b>0-10 pounds:</b>	Seldom		
<b>11-25 pounds:</b>	Seldom		
<b>26-100 pounds:</b>	Not Required	<b>Maximum Force:</b>	<b><u>15</u> Pounds</b>

**Assistive Devices:** 4-Wheel Cart, Hand Truck. Additionally, one or more person(s) assistance is available with forces greater than 15 pounds.

**Comments:** Pushing is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment, and supplies (e.g. cart, door). The employee exerts up to 15 pounds of force in a horizontal plane from waist to shoulder height of a distance up to 100+ feet when performing job tasks (e.g. up to 15 pounds of force to open/close doors, drawers, files, cabinets; push cart).

2.) **PULL:** *Pulling activities may require use of the back in conjunction with leg and arm musculature.*

#### MAXIMUM REQUIREMENT

<b>0-10 pounds:</b>	Seldom		
<b>11-25 pounds:</b>	Seldom		
<b>26-100 pounds:</b>	Not Required	<b>Maximum Force:</b>	<b><u>15</u> Pounds</b>

**Assistive Devices:** 4-Wheel Cart, Hand Truck. Additionally, one or more person(s) assistance is available with forces greater than 15 pounds.

**Comments:** Pulling is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment, and supplies (e.g. cart, door). The employee exerts up to 15 pounds of force in a horizontal plane from waist to shoulder height of a distance up to 100+ feet when performing job tasks (e.g. up to 15 pounds of force to open/close doors, drawers, files, cabinets; pull cart). *Pushing is the preferred method of moving carts.*

3.) **STAND-UP LIFT:** *Lifting weighted objects between floor and waist height.*

<b><u>MAXIMUM REQUIREMENT</u></b>	
<b>0-10 pounds:</b>	Seldom
<b>11-100 pounds:</b>	Not Required
<b>Maximum Force: 10 Pounds</b>	

**Assistive Devices:** One person assistance is available with weights greater than 10 pounds.

**Comments:** A stand-up lift is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. documents). The employee lifts items weighing between < 1 pound and 10 pounds when performing job tasks (e.g. up to 10-pound roll of building plans; books, binder, case books, research documents, files).

4.) **LEVEL LIFT:** *Lifting weighted objects from between waist and chest height level for a maximum horizontal distance of up to four feet.*

<b><u>MAXIMUM REQUIREMENT</u></b>	
<b>0-10 pounds:</b>	Occasional
<b>11-100 pounds:</b>	Not Required
<b>Maximum Force: 10 Pounds</b>	

**Assistive Devices:** One person assistance is available with weights greater than 10 pounds.

**Comments:** A level lift is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. documents). The employee lifts items weighing between < 1 pound and 10 pounds when performing job tasks (e.g. up to 10-pound roll of building plans; books, binder, case books, research documents, files).

5.) **WEIGHT CARRY:** *Carrying weighted objects between waist and chest height beyond a distance of four feet.*

<b><u>MAXIMUM REQUIREMENT</u></b>	
<b>0-10 pounds:</b>	Occasional
<b>11-100 pounds:</b>	Not Required
<b>Maximum Force: 10 Pounds</b>	

**Assistive Devices:** Hand truck, 4-wheel cart. Additionally, one person assistance is available with weights greater than 10 pounds.

**Comments:** Weight carry is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. documents). The employee carries items weighing between < 1 pound and 10 pounds between 5 feet and 100+ feet when performing job tasks (e.g. up to 10-pound roll of building plans, books, binder, case books, research documents, files to/from worksite and collaborating agency or colleagues).

6.) **OVERHEAD LIFT/PULL DOWN:** *Lifting weighted object from/to chest and overhead height level.*

<b><u>MAXIMUM REQUIREMENT</u></b>	
<b>0-10 pounds:</b>	Seldom
<b>11-100 pounds:</b>	Not Required
<b>Maximum Force: 10 Pounds</b>	

**Assistive Devices:** A vertical ladder, step ladder or step stool is available to bring items to eye or shoulder level. Additionally, one person assistance is available with weights greater than 10 pounds.

**Comments:** Overhead lift/pull down is utilized with activities such as retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. documents). The employee lifts items weighing between < 1 pound and 10 pounds to a maximum height of 72 inches when performing job tasks (e.g. up to 10-pound roll of engineer blue prints stored on shelves). *Variables to overhead reaching will be the employee's height and anthropometric reach.*



**7.) OVERHEAD REACH:**

**MAXIMUM  
FREQUENCY:** Seldom

*Comments:* Overhead reach is performed to a maximum height of 72 inches when retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. stored documents). *A ladder (appropriate height) or step stool may be utilized to bring items to eye or shoulder level. Variables to overhead reaching will be the employee's height and anthropometric reach.*

**8.) FORWARD REACH:**

**MAXIMUM  
FREQUENCY:** Frequent

*Comments:* Forward reach is performed to a distance of 28 inches when retrieving, returning, storing, adjusting, moving equipment and supplies (e.g. desktop work; evaluating, inspecting, calculating plans for code compliance; file; operate business machine; drive vehicle). *The degree of elbow extension required for reaching will vary according to the employee's anthropometric reach.*

**9.) STOOP:**

**MAXIMUM  
FREQUENCY:** Seldom

*Comments:* Stooping is performed when retrieving, returning, storing, adjusting, moving, and/or transporting supplies (e.g. lower storage areas holding plans and files). *Variable to stooping will be the employee's height. Stooping of the head, trunk and knees can be minimized or avoided by substituting alternate positions of squatting, kneeling or bending when performing job tasks.*

**10.) SQUAT: (Unloaded)**

**MAXIMUM  
FREQUENCY:** Not Required

*Comments:* Squatting is not required to perform job tasks. *Squatting may be minimized or avoided by substituting alternate positions of bending or kneeling. Partial squatting is a preferred lifting posture.*

**11.) FORWARD BEND:**

**MAXIMUM  
FREQUENCY:** Seldom

*Comments:* Bending forward at the waist is performed when retrieving, returning, storing, adjusting, moving, and/or transporting supplies (e.g. to/from lower storage areas holding plans and files). *Maximum forward trunk flexion required is 60 degrees. Employee may avoid excessive forward bending of the trunk up to 80 degrees by using alternate positions of bending at the hips, kneeling, half kneeling, stooping, sitting or squatting.*

12.) **TWIST:**

**MAXIMUM  
FREQUENCY:** Seldom

**Comments:** Twisting at the waist is performed when retrieving, returning, storing, adjusting, moving, and/or transporting supplies (e.g. to/from storage areas holding plans and files; drive vehicle). *Twisting at the waist may be minimized by turning the whole body, including the feet and working from a swivel chair.*

13.) **TURN:**

**MAXIMUM  
FREQUENCY:** Seldom

**Comments:** Turning is performed when retrieving, returning, storing, adjusting, moving, and/or transporting supplies (e.g. to/from storage areas holding plans and files; site inspection and evaluation).

14.) **KNEEL:**

**MAXIMUM  
FREQUENCY:** Not Required

**Comments:** Kneeling is not required to perform job tasks. *Kneeling may be minimized or avoided by substituting alternate positions of bending, squatting, or half kneeling.*

15.) **CRAWL:**

**MAXIMUM  
FREQUENCY:** Not Required

**Comments:** Crawling is not required when performing job tasks.

16.) **STAIR CLIMB:**

**MAXIMUM  
FREQUENCY:** Not Required

**Comments:** Stair climb is not required to perform job tasks. Public buildings provide elevators.

17.) **LADDER CLIMB:**

**MAXIMUM  
FREQUENCY:** Not Required

**Comments:** Ladder climbing is not required to perform job tasks. *Variables to overhead climbing will vary according to the employee's height and anthropometric reach.*



18.) **WALK:**

**MAXIMUM  
FREQUENCY:** Occasional

**Comments:** Walking is performed when retrieving, returning, storing, adjusting, moving, and/or transporting equipment and supplies (e.g. to/from parking lot; collaborating agency and/or colleague; meetings; customer counter). Walking length varies between 3 feet and 600+ feet depending on job task.

19.) **SIT:**

**MAXIMUM  
FREQUENCY:** Frequent

**Comments:** Sitting is performed for a maximum of 120-minute intervals when performing job tasks (e.g. desk work; meetings, customer counter work; evaluate, inspect, calculate plans for code compliance). *Specific work tasks may require up to frequent standing and/or walking.*

20.) **STAND: (Static)**

**MAXIMUM  
FREQUENCY:** Occasional

**Comments:** Static standing is performed for a maximum of 15-minute intervals when performing job tasks (e.g. meetings and interviews with customers, collaborating agency and/or colleague; site inspection and evaluation; customer counter). *Specific work tasks may require up to frequent sitting and/or walking.*

21.) **BALANCE:**

**MAXIMUM  
FREQUENCY:** Occasional

**Comments:** Good balance is required for safe walking, standing, climbing and lifting.

22.) **HAND/FOOT CONTROL:**

	<b><u>MAXIMUM REQUIREMENT</u></b>
<b>HAND:</b>	
<b>Right:</b>	Seldom
<b>Left:</b>	Seldom
<b>Both:</b>	Seldom
<b>Either:</b>	Not Required
<b>FOOT:</b>	
<b>Right:</b>	Seldom
<b>Left:</b>	Seldom
<b>Both:</b>	Not Required
<b>Either:</b>	Not Required

**Comments:** Hand controls are utilized to operate equipment (e.g. vehicle). Foot controls are utilized to operate equipment (e.g. drive vehicle). *Driving vehicle may be required occasionally during infrequent episodes of off-site requirements.*

**23.) UPPER AND LOWER EXTREMITY COORDINATION:**

<u>MAXIMUM REQUIREMENT</u>	
<b>Simple Grasp:</b>	Frequent
<b>Firm Grasp:</b>	Seldom
<b>Fine Manipulation:</b>	Frequent
<b>Eye/Hand Coordination:</b>	Frequent
<b>Hand/Foot Coordination:</b>	Seldom

**Comments:** Grasping and coordination activities are performed when retrieving, returning, storing, adjusting, moving, equipment and supplies (e.g. desktop work; operating business machines).

**Simple grasping** is utilized to perform job tasks (e.g. lift and manipulate objects weighing less than 5 pounds).

**Firm grasping** is utilized to perform job tasks (e.g. lift and handle objects weighing 5 pounds or greater).

**Fine manipulation** is utilized to perform job tasks (e.g. keyboard, mouse, telephone; handwritten, page turn, sort, file, hand stamp, calculate, rubber band).

**Eye/hand coordination** is utilized to perform job tasks (e.g. keyboard, mouse, telephone; handwritten, page turn, sort, file, hand stamp, calculate, rubber band; drive vehicle).

**Hand/foot coordination** is utilized to perform job tasks (e.g. drive vehicle).

*Depending on individual hand dominance, one hand may be used more frequently than the other when performing job tasks.*

**24.) CERVICAL (NECK) MOVEMENT:**

<u>MAXIMUM REQUIREMENT</u>	
<b>Static Neutral Position:</b>	Frequent
<b>Flexing:</b>	Frequent
<b>Rotating:</b>	Occasional
<b>Extending:</b>	Seldom

**Comments:** Neck movement is required when performing job tasks (e.g. desktop work; building plan inspection; file; retrieve and return building plans; customer service; drive vehicle). *Participating in observation of work environment allowing for safe working conditions. Full cervical range of motion is required to safely perform the job tasks.*

{End of Report}



# Stanislaus County

## JOB TASK ANALYSIS SUMMARY

<u>FREQUENCY DEFINITIONS</u>	<u>SELDOM</u>	<u>OCCASIONAL</u>	<u>FREQUENT</u>	<u>CONSTANT</u>
Percent of the Day	1-2%	3-33%	34-66%	67-100%
Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Non Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Repetitive & Static Work	1-50 Reps	51-250 Reps	251-1,000 Reps	1,001-20,000 Reps

The following is a summary of the physical demands of the Job Task Analysis that were obtained for the position of:

### PLAN CHECK ENGINEER

Functional Activities	Maximum Requirements	Functional Activities	Maximum Requirements
<i>Push (Force)</i> <sup>1</sup>	15 pounds	<i>Stair Climb</i>	Not Required
<i>Pull (Force)</i> <sup>1</sup>	15 pounds	<i>Ladder Climb</i>	Not Required
<i>Stand Up Lift</i> <sup>1</sup>	10 pounds	<i>Walk</i> <sup>1</sup>	Occasional
<i>Level Lift</i> <sup>1</sup>	10 pounds	<i>Sit</i> <sup>1</sup>	Frequent
<i>Weight Carry</i> <sup>1</sup>	10 pounds	<i>Stand (Static)</i> <sup>1</sup>	Occasional
<i>Overhead Lift/Pull Down</i>	10 pounds	<i>Balance</i> <sup>1</sup>	Occasional
<i>Overhead Reach</i> <sup>1</sup>	Seldom	<i>Hand Control</i> <sup>1</sup>	Seldom
<i>Forward Reach</i> <sup>1</sup>	Frequent	<i>Foot Control</i> <sup>1</sup>	Seldom
<i>Stoop</i> <sup>1</sup>	Seldom	<i>Simple Grasp</i> <sup>1</sup>	Frequent
<i>Squat (Unloaded)</i>	Not Required	<i>Firm Grasp</i> <sup>1</sup>	Seldom
<i>Forward Bend</i> <sup>1</sup>	Seldom	<i>Fine Manipulation</i> <sup>1</sup>	Frequent
<i>Twist</i> <sup>1</sup>	Seldom	<i>Eye/Hand Coordination</i> <sup>1</sup>	Frequent
<i>Turn</i> <sup>1</sup>	Seldom	<i>Hand/Foot Coordination</i> <sup>1</sup>	Seldom
<i>Kneel</i>	Not Required	<i>Cervical (neck) Movement</i> <sup>1</sup>	Frequent
<i>Crawl</i>	Not Required		

<sup>1</sup> The critical demands of the job.

*Lyle Andersen, PT*

Lyle Andersen, PT, CWCE Preparer Signature	Date: _____	Contact Person Title	Date: _____
Contact Person Title	Date: _____	Contact Person Title	Date: _____

LA/au