

FILED

2019 FEB 26 Appendix D

Notice of Determination

To:
[ ] Office of Planning and Research
U.S. Mail: P.O. Box 3044 Sacramento, CA 95812-3044
Street Address: 1400 Tenth St., Rm 113 Sacramento, CA 95814

[ ] County Clerk
County of: Stanislaus
Address: 1021 I Street, Suite 101 Modesto, CA 95354

From: Stanislaus County Clearinghouse
Public Agency: Keyes Comm. Services District
Address: 5601 7th Street Keyes, CA 95328
Contact: Ernie Garza, General Manager
Phone: 209-668-8341
ASHIKA NARAYAN

Lead Agency (if different from above):
Address:
Contact:
Phone:

SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.

State Clearinghouse Number (if submitted to State Clearinghouse): 2018112050

Project Title: Keyes 1, 2, 3 TCP Mitigation Project

Project Applicant: Keyes Community Services District

Project Location (include county): Keyes, Stanislaus County

Project Description:
1) Granular Activated Carbon (GAC) Treatment at Well 8, Well 9, and Well 10 which will centralize TCP treatment. Includes two trains and a 40,000 gallon backwash tank will be constructed at Well 8. Three trains and a 60,000 gallon backwash tank will be constructed at Well 9. Four trains and a 60,000 gallon backwash tank will be constructed at Well 10. 2) Water Transport from Well 7 to Well 10. Because physical space at Well 7 cannot accommodate GAC infrastructure, this component involves conveying raw ground water from Well 7 to Well 10 for TCP treatment. Approximately 2,532 linear feet of 6-inch pipeline will be installed below existing roads between Well 7 and Well 10.

This is to advise that the Keyes Community Services District has approved the above ( [ ] Responsible Agency or [X] Lead Agency )

described project on February 26, 2019 and has made the following determinations regarding the above (date) described project.

- 1. The project [ ] will [X] will not have a significant effect on the environment.
2. [ ] An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA. [X] A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [X] were [ ] were not made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [X] was [ ] was not adopted for this project.
5. A statement of Overriding Considerations [ ] was [X] was not adopted for this project.
6. Findings [X] were [ ] were not made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:
Keyes CSD, 5601 7th Street, Keyes, CA 95328

Signature (Public Agency): [Signature] Title: General Manager

Date: February 26, 2019 Date Received for filing at OPR: