

Job Task Analysis

Employer: Stanislaus County

Occupation: Auditor Appraiser

Classification: Auditor Appraiser I, II, III, Senior

Company Contact: Risk Management

1010 10th Street

Modesto, California 95354

(209) 525-5770

Date: October 2014; Updated July 2020

Analysis Provided By: Lyle Andersen, PT, CWCE

Andersen Physical Therapy, Inc.

1917 Coffee Road

Modesto, California 95355

(209) 549-4626

INTRODUCTION:

A complete job description is available through Stanislaus County Human Resources. The environmental factors, physical and functional demands for this Job Task Analysis were documented by Andersen Physical Therapy, Inc. The methodology for documentation consisted of on-site visits, using various measuring devices such as dynamometers and scales, as well as observation and interviews with employees and managers. A detailed record was made of the physical and functional demands of the job in terms of force pounds, weight, frequency, height, distance, anthropometric measurements, stamina, and degrees of range of motion. The determination of the frequencies of functional activities is based on standards provided by the National Institute for Occupational Safety and Health (NIOSH) and the Work Practice Guide for Manual Lifting (U.S. Department of Commerce, National Technical Information Service).

The Job Task Analysis is organized as follows: General work description; safety requirements; equipment; environmental factors; and physical/functional demands.

Chief Executive Office – Recruitment Unit P.O. Box 3404, Modesto, CA 95354

Phone (209) 525-6341 Fax (209) 525-4056

Chief Executive Office – Risk Management Division

1010 10th St., Ste 5900, Modesto, CA 95354

Phone (209) 525-5710

Fax (209) 525-5779

GENERAL WORK DESCRIPTION:

The frequency of the following activities may vary according to the physical requirements of the specific job tasks that the employee may be required to perform at random intervals.

Under the general supervision of the department manager, **Auditor-Appraiser I**, works in the business division of the Assessor's Office conducting the less difficult audits. **Auditor-Appraiser II**, examines, analyzes, and records information from the accounting records in the audit of commercial, industrial and farming establishments for the Business Division of the Assessor's Office and conducts real property appraisals. **Auditor-Appraiser III**, performs the more difficult and complex audit-appraisals for ad valorem tax purposes of personnel property and improvements of commercial and industrial firms and performs direct supervision of staff conducting audit-appraisals. **Auditor-Appraiser Senior** assists in the overall management of the Business Division in the Assessor's Office. This position trains, supervises evaluates subordinate personnel, and performs the more difficult audits.

SPECIFIC DUTIES: Available through the Human Resources Department at the County of Stanislaus.

https://www.governmentjobs.com/careers/stanislaus/classspecs

<u>Safety Requirements</u>: All employees are required to observe company safety procedures and standards to insure individual and collective safety, in addition to avoiding unnecessary risk to oneself, co-workers, customers, and property.

Equipment:

1.	4-Wheel Cart	11.	Measuring wheel
2.	Binocular	12.	Micro fiche reader/printer
3.	Calculator	13.	Monitor
4.	Camera	14.	Mouse
5.	Computer	15.	Paper cutter
6.	Copy machine	16.	Printer
7.	Facsimile machine	17.	Scanner
8.	Hand Cart	18.	Staple
9.	Hole punch	19.	Telephone
10.	Keyboard	20.	Vehicle

All employees within the **Auditor Appraiser I, II, III, Senior** position are required to provide physical assistance for all weight and frequency requirement needs of all job tasks in order to maintain a safe work environment. Employees must be physically capable of working in any of the job tasks within the **Auditor Appraiser I, II, III, Senior** position.

ENVIRONMENTAL FACTORS

, , , , , , ,

The following percentages are given in terms of an eight-hour workday:

 Seldom =
 1% - 2%
 Frequent =
 34% - 66%

 Occasional =
 3% - 33%
 Constant =
 67% - 100%

	ENVIRONMENTAL FACTORS	MAXIMUM FREQUENCY
1.	Unprotected heights:	Not Applicable
2.	Being around moving machinery: traffic, commercial equipment Construction site	Occasional
3.	Exposure to marked changes in temperature and humidity: outside temperatures may seasonally vary between 28-110 degrees. Walk-in freezer	Seldom
4.	Exposure to dust, fumes, smoke, gases, or other irritating substances (specify):	Not Applicable
5.	Driving:	Occasional
6.	Exposure to excessive noise:	Seldom
7.	Exposure to radiant or electrical energy:	Not Applicable
8.	Exposure to solvents or chemicals: *Refer to MSDS document.*	Not Applicable
9.	Exposure to slippery or uneven walking surfaces: undeveloped ground, water, ice.	Seldom
10.	Working below ground:	Not Applicable
11.	Unusual fatigue factors:	Not Applicable
12.	Working with explosives:	Not Applicable
13.	Excessive vibration:	Not Applicable
14.	Working with hands in water or other substance: Hand protection is available	Not Applicable
15.	Working proximity:	Seldom Constant
16.	Working inside:	Constant
17.	Working outside:	Seldom

FUNCTIONAL ACTIVITIES



The frequency of the following activities may vary according to the physical requirements of the specific job tasks the employee may be required to perform at random intervals.

PHYSICAL AND FUNCTIONAL REQUIREMENTS

FREQUENCY DEFINITIONS	<u>SELDOM</u>	OCCASIONAL	<u>FREQUENT</u>	CONSTANT
Percent of the Day Material Handling	1-2% 1-4 Reps	3-33% 5-32 Reps	34-66% 33-250 Reps	67-100% 251-2,000 Reps
Non Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Repetitive & Static Work	1-50 Reps	51-250 Reps	251-1,000 Reps	1,001-20,000 Reps

1.) PUSH: Pushing activities may require use of the back in conjunction with leg and arm musculature.

MAXIMUM REQUIREMENT

0-10 pounds: Occasional **11-25 pounds:** Seldom

26-100 pounds: Not Required **Maximum Force: 15** Pounds

Assistive Devices: 2 or 4-wheeled cart, hand truck.

Comments: Pushing is utilized with activities such as retrieving, returning, storing and/or transporting equipment and supplies (e.g. cart, drawer). The employee exerts up to 15 pounds of force in a horizontal plane from waist to shoulder height of a distance up to 100 feet when performing job tasks (e.g. up to 15 pounds of force traveling with 4-wheeled cart or hand truck; close file, desk drawer; open/close property gate/door).

2.) PULL: Pulling activities may require use of the back in conjunction with leg and arm musculature.

MAXIMUM REQUIREMENT

0-10 pounds: Occasional11-25 pounds: Seldom

26-100 pounds: Not Required **Maximum Force:** <u>15</u> Pounds

Assistive Devices: 2 or 4-wheeled cart, hand truck.

Comments: Pulling is utilized with activities such as retrieving, returning, storing and/or transporting equipment and supplies (e.g. cart, drawer). The employee exerts up to 15 pounds of force in a horizontal plane from waist to shoulder height of a distance up to 5+ feet when performing job tasks (e.g. up to 15 pounds of force traveling with 4-wheeled cart or hand truck; open file, desk drawer; open/close property gate/door). Pushing is the preferred method of moving carts.

3.) **STAND-UP LIFT**: Lifting weighted objects between floor and waist height.

MAXIMUM REQUIREMENT

0-10 pounds: Seldom

11-100 pounds: Not Required Maximum Force: <u>10</u> Pounds

Assistive Devices: One person assistance is available with weights greater than 10 pounds.

Comments: A stand-up lift is utilized with activities such as retrieving, returning, storing and/or transporting supplies (e.g. documents). The employee lifts items weighing between less than 1 pound and 10 pounds from/to the floor when performing job tasks (e.g. up to 10-pound briefcase, document binder, 3-ring binder from/to lower shelf or cabinet). Safe lifting is performed by utilizing a posture of partial squatting and a straight back.

4.) <u>LEVEL LIFT</u>: Lifting weighted objects from between waist and chest height level for a maximum horizontal distance of up to four feet.

MAXIMUM REQUIREMENT

0-10 pounds: Occasional

11-100 pounds: Not Required Maximum Force: <u>10</u> Pounds

Assistive Devices: One person assistance is available with weights greater than 10 pounds.

Comments: A level lift is utilized with activities such as retrieving, returning, storing and/or transporting supplies (e.g. documents). The employee lifts items weighing between less than 1 pound and 10 pounds when performing job tasks (e.g. up to 10-pound brief case, document binder, 3-ring binder, miscellaneous stacked forms and reports).

Employees may travel for off-site training and audits annually which may require lifting personal luggage and/or office paraphernalia.

5.) WEIGHT CARRY: Carrying weighted objects between waist and chest height beyond a distance of four feet.

MAXIMUM REQUIREMENT

0-10 pounds: Occasional

11-100 pounds: Not Required Maximum Force: <u>10</u> Pounds

Assistive Devices: Hand truck, 4-wheeled cart. Additionally, one person assistance is available with weights greater than 10 pounds.

Comments: Weight carry is utilized with activities such as retrieving, returning, storing and/or transporting supplies (e.g. documents, paper). The employee carries items weighing between less than 1 pound and 10 pounds between 5 feet and 600 feet when performing job tasks (e.g. 5-pound ream of copy paper, clipboard, briefcase, up to 10-pound document binder; stacked documents; laptop computer, calculator).

Employees may travel for off-site training and audits annually which may require lifting personal luggage and/or office paraphernalia.

6.) OVERHEAD LIFT/PULL DOWN: Lifting weighted object from/to chest and overhead height level.

MAXIMUM REQUIREMENT

0-100 pounds: Not Required **Maximum Force: 0** Pounds

Comments: Overhead lift/pull down is not required to perform job tasks. Variables to overhead reaching will be the employee's height and anthropometric reach.

7.) **OVERHEAD REACH:**

MAXIMUM

FREQUENCY: Seldom

Comments: Overhead reach is performed to a maximum height of 72 inches when performing job tasks (e.g. document search in cabinet, shelf). A ladder (appropriate height) or step stool may be utilized to bring items to eye or shoulder level. Variables to overhead reaching will be the employee's height and anthropometric reach.

8.) FORWARD REACH:

MAXIMUM FREQUENCY: Frequent

Comments: Forward reach is performed to a maximum distance of 28 inches when retrieving, returning, storing and/or operating equipment and supplies (e.g. desktop work, vehicle; operate office machine). The degree of elbow extension required for reaching will vary according to the employee's anthropometric reach.

9.) **STOOP**:

MAXIMUM FREQUENCY: Seldom

Comments: Stooping is performed when performing property site inspection (e.g. cabinet, shelf, agricultural equipment, office document storage). Stooping height varies depending on employee's height. Stooping of the head, trunk and knees can be minimized or avoided by substituting alternate positions of squatting, kneeling or bending when performing job tasks.

10.) **SOUAT**: (Unloaded)

MAXIMUM FREQUENCY: Not Required

Comments: Squatting is not required when performing job tasks. Squatting may be minimized or avoided by substituting alternate positions of sitting, stooping, bending, kneeling or half-kneeling. Partial squatting is a preferred lifting posture.

11.) **FORWARD BEND**:

MAXIMUM FREQUENCY: Occasional

Comments: Bending forward at the waist is performed when performing job tasks. (e.g. property inspection of industrial and agricultural equipment, commercial property, office document storage; field check). *Maximum forward trunk flexion required is 45 degrees. Employee may avoid excessive forward bending of the trunk up to 80 degrees by using alternate positions of bending at the hips, kneeling, half kneeling, stooping, sitting or squatting.*

12.) **TWIST**:

MAXIMUM FREQUENCY: Occasional

Comments: Twisting at the waist is performed when performing property site inspections (e.g. field check; drive vehicle). Twisting at the waist may be minimized by turning the whole body, including the feet and working from an office swivel chair.

13.) **TURN**:

MAXIMUM

FREQUENCY: Seldom

Comments: Turning is performed when performing property site inspections (e.g. field check of agricultural, industrial and commercial property).

14.) **KNEEL**:

MAXIMUM

FREQUENCY: Not Required

Comments: Kneeling is not required to perform job tasks. Kneeling may be minimized or avoided by substituting alternate positions of sitting, bending, squatting, or half kneeling.

15.) **CRAWL**:

MAXIMUM

FREQUENCY: Not Required

Comments: Crawling is not required to perform job tasks.

16.) **STAIR CLIMB**:

MAXIMUM

FREQUENCY: Seldom

Comments: Stair climb is required in order to go to/from property site inspections. Maximum number of 24 steps is climbed. Elevators are available in public buildings.

17.) **LADDER CLIMB**:

MAXIMUM

FREQUENCY: Seldom

Comments: Ladder climbing is performed onto/off of safety ladders or steps to access, equipment, and supplies (e.g. 4-Step step stool). *Variables to overhead climbing will vary according to the employee's anthropometric reach.*

18.) **WALK**:

MAXIMUM

FREQUENCY: Occasional

Comments: Walking is performed when performing office work and/or property site inspection (e.g. office counter, meeting with collaborating agency and/or colleague, parking lot; field check). Walking length varies between 3 feet and 600 + feet depending on job task.

19.) **SIT**:

MAXIMUM FREQUENCY: Constant

Comments: Sitting is performed for a maximum of 120-minute intervals when performing property site inspection and/or operating equipment (e.g. desktop work, drive vehicle to/from agricultural, industrial and commercial business property).

20.) **STAND**: (Static)

MAXIMUM FREQUENCY: Occasional

Comments: Static standing is performed for a maximum of 20-minute intervals when performing job tasks (e.g. meetings with collaborating agency and/or colleague; field check; property site inspection; customer contact, interview).

21.) **BALANCE**:

MAXIMUM FREQUENCY: Frequent

Comments: Good balance is required for safe walking, climbing, standing, and lifting.

22.) HAND/FOOT CONTROL:

MAXIMUM REQUIREMENT

HAND:

Right: Occasional
Left: Occasional
Both: Occasional
Either: Not Required

FOOT:

Right: Occasional
Left: Seldom
Both: Not Required
Either: Not Required

Comments: Hand controls are utilized when performing job tasks (e.g. drive vehicle). Foot controls are utilized to operate equipment (e.g. drive vehicle).

23.) UPPER AND LOWER EXTREMITY COORDINATION:

MAXIMUM REQUIREMENT

Simple Grasp: Frequent
Firm Grasp: Occasional
Fine Manipulation: Frequent
Eye/Hand Coordination: Frequent
Hand/Foot Coordination: Occasional

Comments: Grasping and coordination activities are performed when retrieving, returning, storing, adjusting, moving and/or transporting equipment, controls and supplies (e.g. desktop; miscellaneous office tools).

Simple grasping is utilized to perform job tasks (e.g. lift and manipulate objects weighing less than 5 pounds; drive vehicle, miscellaneous office equipment, files).

Firm grasping is utilized to perform job tasks (e.g. lift and handle objects weighing 5 pounds or greater; binder; drive vehicle).

Fine manipulation is utilized to perform job tasks (e.g. keyboard, mouse, 10-key, copy machine, facsimile machine, handwrite, page turn, file).

Eye/hand coordination is utilized to perform job tasks (e.g. drive vehicle; 10-key, keyboard, mouse, copy machine, facsimile machine, hand write, page turn sort).

Hand/foot coordination is utilized to perform job tasks (e.g. drive vehicle).

Depending on individual hand dominance, one hand may be used more frequently than the other when performing job tasks.

24.) <u>CERVICAL (NECK) MOVEMENT:</u>

MAXIMUM REQUIREMENT

Static Neutral Position: Frequent

Flexing: Frequent
Rotating: Occasional
Extending: Seldom

Comments: Neck movement is required when performing job tasks (e.g. drive vehicle; property site inspection; desktop work; field check). Participating in observation of work environment allowing for safe working conditions. Full cervical range of motion is required to safely perform the job tasks. Participating in observation of work environment allowing for safe working conditions. Full cervical range of motion is required to safely perform the job tasks.



Stanislaus County

JOB TASK ANALYSIS SUMMARY

FREQUENCY DEFINITIONS	<u>SELDOM</u>	OCCASIONAL	<u>FREQUENT</u>	<u>CONSTANT</u>
Percent of the Day	1-2%	3-33%	. 34-66%	67-100%
Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Non Material Handling	1-4 Reps	5-32 Reps	33-250 Reps	251-2,000 Reps
Repetitive & Static Work	1-50 Reps	51-250 Reps	251-1,000 Reps	1,001-20,000 Reps

The following is a summary of the physical demands of the Job Task Analysis that were obtained for the position of:

Auditor Appraiser I, II, III, Senior

Functional Activities	Maximum Requirements	Functional Activities	Maximum Requirements	
Push (Force)	15 pounds	Stair Climb ¹	Seldom	
Pull (Force) 1	15 pounds	Ladder Climb ¹	Seldom	
Stand Up Lift ¹	10 pounds	Walk ¹	Occasional	
Level Lift ¹	10 pounds	Sit ¹	Constant	
Weight Carry ¹	10 pounds	Stand (Static) ¹	Occasional	
Overhead Lift/Pull Down	0 pounds	Balance ¹	Frequent	
Overhead Reach ¹	Seldom	Hand Control ¹	Occasional	
Forward Reach ¹	Frequent	Foot Control ¹	Occasional	
Stoop ¹	Seldom	Simple Grasp ¹	Frequent	
Squat (Únloaded)	Not Required	Firm Grasp ¹	Occasional	
Forward Bend ¹	Occasional	Fine Manipulation ¹	Frequent	
Twist ¹	Occasional	Eye/Hand Coordination ¹	Frequent	
Turn ¹	Seldom	Hand/Foot Coordination ¹	Occasional	
Kneel	Not Required	Cervical (neck) Movement	Frequent	
Crawl	Not Required	The second secon		

Lyle Andersen, PT, CWCE

Preparer Signature

Date:

Date:

Contact Person

Title

Contact Person

Title

Assessor

Date:

Date:

Contact Person

Title

Title

¹ The critical demands of the job.